Did endemic dwarf elephants survive on Mediterranean islands up to protohistorical times?

M. Masseti

Dipartimento di Biologia Animale e Genetica 'Leo Pardi' dell'Università di Firenze. Laboratori di Antropologia, Firenze, Italy - marco.masseti@unifi.it

SUMMARY: The wall paintings of the 18th Dynasty tomb of Rekh-mi-Rē, vizier of Thutmosis III, at Thebes (Egypt) show, among other figures, that of a small-sized elephant borne by the Syrian tributaries as a gift to the Egyptian pharaoh. It has been observed that this proboscidean cannot be an immature specimen in view of its large tusks, and that it could be referred to the Asiatic elephant, which seems to have lived in historical times in the western Near East. But, in the light of archaeological and paleontological evidence, it cannot be excluded that the elephant depicted in the Rekh-mi-R tomb could also represent a dwarf proboscidean, possibly imported to Egypt from somewhere in the Eastern Mediterranean islands where endemic dwarf elephants might still have survived up to protohistorical times.

1. Introduction

According to paleontological evidence, several Mediterranean islands have provided remains of Middle/Late Pleistocene proboscideans. These are Giglio (Tuscan archipelago), Sardinia, Favignana (Egadi islands), Sicily, Malta, Kythera, Euboea, Cyclades (Milos, Kythnos, Seriphos, Delos, and Naxos), Crete, Dodecanese islands (Rhodes, Tilos and Kos), Ikaria, Samos, Chios, Gökçeada (Imbros), and Cyprus (Kotsakis 1990, Masseti 1993, Caloi et al. 1996). Recently fossil elephant teeth have also been discovered on the island of Astypalaia (Dodecanese, Greece) (Maria Kollas, pers. com.). Most of these forms are reputed as endemic to the islands - they are often dwarf and appear to derive from the straight-tusked elephant, Elephas antiquus Falconer & Cautley 1847, a species dispersed up to the Late Pleistocene in the western Palaearctic. It is generally believed that all these elephants became extinct in pre-Neolithic times. But, in the light of archaeological evidence, one of these forms should have survived further into the Holocene.

2. THE DWARF ELEPHANTS OF THE ISLAND OF TILOS (DODECANESE, GREECE)

Available evidence, in fact, records, the existence of dwarf elephants in relatively recent times in only one Mediterranean island, the island of Tilos (Dodecanese, Greece). Located between Rhodes and Kos in the Eastern Aegean sea, at about 20 km from the nearest point of the Anatolian mainland (Bozburun peninsula), this island was inhabited by an endemic fauna which was discovered in the cave of Charkadio and included dwarf elephant remains (Fig. 1). These proboscideans have been described as belonging to the genus Elephas (Symeonidis et al. 1973, Theodorou 1983, 1988), but are still specifically unnamed (Alcover et al. 1998). They have often been compared to Elephas falconeri Busk, 1867, a taxon described from Sicily and Malta (Ambrosetti 1968). The form is, however, slightly larger than the Sicilian pygmy elephant, whilst the age of the deposits of the discovery site ranges from the very late Pleistocene to the Holocene (Theodorou 1983, 1988). Two dates were obtained through the ¹⁴C dating of the elephant bones: 7090+/- 680 and 4390 +/- 600 bp (Bachmayer & Symeonidis




Fig.1 - Artist's reconstruction of the extinct dwarf elephant, *Elephas antiquus* cf. *falconeri* Busk, 1867, of Late Pleistocene-Holocene Tilos, adapted from the osteological material in the Museum of Megalochorio (Tilos, Greece), and compared to the size of its supposed ancestor *E. antiquus* Falconer & Cautley, 1847 (drawing by A. Mangione).

1975, Bachmayer *et al.* 1976). These datings relate to different parts of the cave and appear to prove the simultaneous existence of the elephants and post-Palaeolithic man (Bachmayer & Symeonidis 1975, Bachmayer *et al.* 1976, Bachmayer *et al.* 1984). Furthermore, if such dating is reliable, we can presume this taxon survived at least until the beginning of the Aegean Bronze Age.

3. The "Pygmy Elephant" of the wall paintings of the 18^{th} dynasty tomb of rekn-mi r , at thebes (egypt)

Several years ago, Rosen (1994) and White (1994) carried out a correspondence in the pages of *Nature* on the interpretation of the figure of a small-sized elephant depicted on the wall-paintings of the 18th Dynasty tomb of Rekh-mi-Rē, vizier of Thutmosis III and Amenhotep II (from about 1470 to 1445 BC) (cf. Davies 1935), at Thebes (Egypt) (Fig. 2). Sparked off by the assumption of Lister (1993) that Siberian dwarf mammoths lived up to the time of the Egyptian pharaohs, this correspondence led Rosen to suppose that the decoration

effectively portrayed a dwarf mammoth, whereas White claimed that it was actually a small-sized African elephant. As already noted by the two correspondents, the image represents an adult specimen characterized by well developed tusks. According to other authors, such as Davies (1935), and Osborne & Osbornova (1998), it displays morphological patterns which might be referred to Asian elephants, Elephas maximus L., 1758, that possibly lived in the Near East at the time. According in fact to pictorial, written and osteological evidence, it seems that wild herds of proboscideans lived in the ancient land of Niya, located in western Syria, between the late second and early first millennium BC (Hatt 1959, Buitenhuis 1990, Gabolde 2000). Regarding the peculiar size of the elephant in the Egyptian painting, as far back as 1935, Davies N. de Garis remarked that the artists kept the animals small so that they would not dominate the tribute bearing procession, although the length of the tusks tends to suggest that they were thinking of an adult specimen. White (1994) and Osborne & Osbornova (1998), also noted that the differential scale of the human and animal




Fig.2 - Detail of the wall-painting of the tomb of Rekh-mi- $R\bar{e}$, at Thebes (Egypt), showing a small-sized elephant borne by the Syrian tributaries (photograph by N. Douek Galante).

figures is the result of stylistic convention rather than naturalistic representation (cf. Pirenne 1962, Aldred 1984). It can be observed, however, that this conventional Egyptian method of portraying the size of animal and human beings is not consistently adopted in the wall-decoration of the Rekh-mi-R tomb. The tusks of the portrayed specimen are in fact much smaller and inconsistent with those shown being carried by the Syrian to the right, and the Minoan and Nubian bearers pictured in other sections of the wall-painting (cf. Evans 1928). This incongruence contrasts with the representation of other animals in the same picture. For example, the giraffe portrayed with the Nubian bearers takes up the entire available vertical space of the register. It therefore seems arguable that rather than with evidence of the stylistic convention to which the artists had to conform, we may actually be dealing with the portrait of a dwarf elephant. But, as already observed, there is no fully convincing evidence for the identification with the morphology of an Asiatic elephant. Thus, it may be possible to trace the morphological characteristics of the proboscidean to geographical species closer to ancient Egypt, possibly even among the

Mediterranean islands where paleontological evidence records the occurrence of dwarf and pygmy elephants from at least as far back as the Middle Pleistocene. But how could it come about that an insular dwarf elephant was brought to Egypt by Near-Eastern tributaries? How did they get hold of it? And which Mediterranean island did it originally come from?

4. CONCLUDING REMARKS

In the paintings of the Rekh-mi-R tomb, the Near-Eastern tributaries borne the small-sized elephant, together with other goods which were so clearly precious for the Egyptian market, that they could be offered to the pharaoh. In this contest, an adult dwarf elephant would have cut a fine figure. It value could have been related more to its curiosity appeal than to its effective economic worth, or even to both. On the other hand, there is considerable archaeological evidence for the circulation and trade of materials and ideas between the Mediterranean and south-eastern Asia. Cultural interaction between Crete, Cyprus, the Near East and Egypt increased markedly during the Late

Bronze Age (Stubbings 1951, Benzi 1996). The main maritime route connecting the Aegean to the Near East during the Bronze Age passed between Rhodes and the peninsula of Bozburun (Niemeier 1998), located a few marine miles off the northern coast of the island of Tilos. And the Minoan presence on Tilos and the other islands of the so-called "eastern Aegean string" is documented from at least ca. 2000-1800 BC onwards (Sampson 1983, Niemeier, 1998). This is not to say that the living proboscidean depicted in the Rekh-mi-R tomb is definitely the portrait of a Tilos elephant actually captured by the Aegean Bronze Age people on the island. It may have be a dwarf representative of the genus Elephas which survived on any Eastern Mediterranean island during the time of the Minoan-Mycenean control. It cannot be excluded that from this as yet unidentified island the dwarf elephant could have been exported to a mainland area where it could have represented a precious and rare curiosity to be exchanged as costly gift between Aegean, Near Eastern and Egyptian rulers. While hopefully awaiting a revised dating for the elephants of Tilos, further investigations are also needed to better understand the significance of the Egyptian painting.

5. ACKNOWLEDGEMENTS

I would like to express my appreciation and gratitude to the following friends and colleagues for their suggestions and assistance as I was preparing this paper: Anastasios Aliferis, Stefano De Martino, Nicole Douek Galante, Adrian M. Lister, Maria Kollas, David S. Reese, George E. Theodorou, Katerina Trantalidou.

6. References

- Alcover, J.A., Campillo, X., Macias, M. & Sans, A. 1998. Mammal Species of the World: Additional data on Insular Mammals. *American Museum Novitates* 3248: 1-29.
- Aldred, C. 1984, *Egyptian art*. London: Thames and Hudson Ltd.

- Ambrosetti, P. 1968. The Pleistocene dwarf elephants of Spinagallo (Siracusa, South-Eastern Sicily). *Geol. Rom.* 1: 217-229.
- Bachmayer, F. & Symeonidis, N. 1975. Eigenartige Abspaltungen von Stosszähnen der Zwergelefanten aus der Höhle "Charkadio" auf der Insel Tilos -Artefakte?. Annales Géologiques des Pays Hélleniques 26: 320-323.
- Bachmayer, F., Symeonidis, N., Seeman, R. & Zapfe, H., 1976. Die Ausgrabungen in der Zwergelefanten "Charkadio" auf der Insel Tilos (Dodekanes, Griechenland) in den Jahren 1974 und 1975. *Ann. Naturhistor. Mus. Wien* 80: 113-144.
- Bachmayer, F., Symeonidis, N. & Zapfe, H. 1984. Die Asgrabungen in der Zwergelefantenhöle der Insel Tilos (Dodekanes, Griechenland) im Jahr 1983. Sitzungsberichten der Österreichischen Akademie der Wissenschaften, Mathematisch-naturwissenschaftliche Kl. Abt. I 193: 321-328.
- Benzi, M. 1996. Problems of the Mycenean expansion in the South-Eastern Aegean. In De Miro, E., Godart, L. & Sacconi, A. (eds.), *Atti e Memorie del Secondo Congresso Internazionale di Miceneologia*. Gruppo Editoriale Internazionale, Roma: 947-978.
- Buitenhuis, H. 1990. Archaeozoological aspects of Late Holocene economy and environment in the Near East. In Bottema, Brentjes & Van Zeist (eds.), *Man's role in the shaping of the Eastern Mediterranean landscape*: 195-205. Balkema, Rotterdam.
- Caloi, L., Kotsakis, T., Palombo, M.R. & Petronio, C., 1996. The Pleistocene dwarf elephants of mediterranean islands. In Shoshani, J., Tassy, P. (eds.), *The Proboscidea*. 234-240. Oxford/New York/Toronto: Oxford University Press.
- Davies, N. de Garis, 1935. Paintings from the Tomb of Rekh-mi-R at Thebes. The Metropolitan Museum of Art, Egyptian Expedition. 9 pp, XXVI plates, New York: Platin Press.
- Drower, M.S. 1973. Syria ca. 1550-1400 BC. *In Cambridge Ancient History*. 3rd ed. II/I:

- 417-525. Cambridge: Cambridge University.
- Evans, A. 1928. *The Palace of Minos at Knossos*, II/II. London.
- Gabolde, M. 2000. Les elephants de Niyi d'apres les sources egyptiennes. In Béal, J.-C. & Goyon, J.-C. (eds.), Des ivoires ate des cornes dans les mondes anciens (Orient-Occident): 129-139. Université Lunière-Lyon 2.
- Hatt, R.T. 1959. The mammals of Iraq. *Misc. Publs Mus. Zool. Univ. Mich.* 106: 1-113.
- Kotsakis, T. 1990. Insular and non insular vertebrate fossil faunas in the Eastern Mediterraenan islands. *Atti dei Convegni Lincei* 85: 289-334.
- Lister, A.M. 1993. Mammoths in miniature. *Nature* 362: 288-289.
- Masseti, M. 1993. On the Pleistocene occurrence of *Elephas (Palaeoloxodon) antiquus* in the Tuscan Archipelago, northern Tyrrhenian Sea (Italy). *Hystrix*, 5 (1-2): 101-105.
- Niemeier, W.-D. 1998. The Minoans in the South-Eastern Aegean and Cyprus. In Karageorghis V. & Stampolidis N. (eds.), Eastern Mediterranean: Cyprus-Dode-

- *canese-Crete 16th-6th cent.* BC: 29-47. Nicosia: The University of Crete, Rethymnon, and the A.G. Levendis Foundation.
- Osborne, D.J. & Osbornova, J. 1998. *The mammals of ancient Egypt*. Warmister: Aris & Phillips Ltd.
- Pirenne, J. 1962 *Histoire de la Civilisation de l'Egypte Ancienne*. Neuchâtel: Editions de la Baconnière.
- Rosen, B. 1994. Mammoths in ancient Egypt? *Nature* 369: 364-365.
- Sampson, A. 1983. Topographical survey of prehistoric sites in the Dodecanese. In Keller D.R. & Rupp D.W. (eds.), Archaeological survey in the Mediterranean area. *BAR International Series* 155: 283-285.
- Stubbings, F.H. 1951. *Mycenean Pottery from the Levant*. Cambridge.
- Theodorou, G.E. 1983. *Die fossilen Zwergelefanetn der Höhle "Charkadio" auf der Insel Tilos*. Athens: Dodekanes. Dissertation Univ.
- Theodorou, G.E. 1988. Environmental factors affecting the evolution of island endemics: the Tilos example from Greece. *Modern Geology* 13: 183-188.
- White, W. 1994. Painted out. Nature 370: 604.