

**POISON**

**KEEP OUT OF REACH OF CHILDREN**

**READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

FARMALINX

# Bromoxy 200 EC

**SELECTIVE HERBICIDE**

**ACTIVE CONSTITUENT: 200 g/L BROMOXYNIL present as the n-octanoyl ester**

**SOLVENT: 616 g/L LIQUID HYDROCARBON**

**GROUP C HERBICIDE**

*For the control of weeds in wheat, oats, barley, cereal rye and triticale (alone or undersown), linseed, clover and lucerne pastures, turf, fallow, non-crop, roadsides and rights-of-way as specified in the Directions for Use table.*

**IMPORTANT: READ THE ATTACHED LEAFLET BEFORE OPENING OR USING THIS PRODUCT**

***farmalinx*** *Partners in Agriculture*

FARMALINX Pty Ltd ABN 95 134 353 245  
Suite 2506, Level 25, Tower 2, 101 Grafton Street, Bondi Junction NSW 2022  
T: 02 9389 2455 F: 02 9389 2844 W: www.farmalinx.com

CONTENTS  
**20 Litres**

FARMALINX

# Bromoxy 200 EC

**SELECTIVE HERBICIDE**

## STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight.

**For Non-Refillable Containers:** Triple rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or a designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers or product.

## SAFETY DIRECTIONS

Product is poisonous if inhaled or swallowed. May irritate the eyes and skin. Avoid contact with eyes and skin. DO NOT inhale spray mist. When preparing spray, wear elbow length PVC gloves and face shield. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and face shield.

## FIRST AID

If poisoning occurs, contact a Doctor or Poisons Information Centre. Phone Australia 13 11 26. If swallowed, do NOT induce vomiting. Give a glass of water.

## SDS

Additional information is listed in the safety data sheet (SDS). A safety data sheet for FARMALINX Bromoxy 200 EC Selective Herbicide is available from FARMALINX Pty Ltd on request. Call Customer Service on 02 9389 2455.

### Suspected of damaging fertility or the unborn child.

Do not handle until all safety precautions have been read and understood.

If exposed or concerned: Get medical advice.

**NOTICE:** Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. No warranty (other than non-excludable statutory warranties) of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions, or under off-label permits not endorsed by FarmaLinx Pty Ltd or under abnormal conditions. FarmaLinx Pty Ltd accepts no liability for any loss or damage arising from incorrect storage, handling or use.

APVMA Approval No.: 64318/56908

	<b>IN A TRANSPORT EMERGENCY DIAL 000</b> POLICE OR FIRE BRIGADE
	<b>SPECIALIST ADVICE IN AN EMERGENCY ONLY</b> <b>0408 600 295</b> ALL HOURS – AUSTRALIA WIDE



20L

Batch No.

Date of Manufacture

**farmalinx**  
*Partners in Agriculture*