

Section 1 - Identification of The Material and Supplier

FARMALINX Pty Ltd
Level 25, Suite 2506 (Tower 2)
101 Grafton Street
Bondi Junction, NSW 2022

Phone: 02 9389 2455
Fax: 02 9389 2844
www.farmalinx.com

Chemical nature: Chlorothalonil is a substituted aromatic derivative.
Trade Name **Farmalinx CHLOROSTAR 900 WG Fungicide**
APVMA Code: 84047
Product Use: Agricultural fungicide for use as described on the product label.
Creation Date: **May, 2017**
This version issued: **May, 2022** and is valid for 5 years from this date.
Poisons Information Centre: Phone 13 1126 from anywhere in Australia

Section 2 - Hazards Identification

Statement of Hazardous Nature

This product is classified as: Xi, Irritating. T+, Very toxic. N, Dangerous to the environment. Hazardous according to the criteria of SWA.

Not subject to the ADG Code when transported in Australia by Road or Rail in packages 500kg(L) or less; or IBCs (refer to SP AU01). However if transported by Air or Sea, this provision does not apply. Then the product is classed as Dangerous (Class 9 Environmentally Hazardous) by IATA and IMDG respectively. See details below and in Section 14 of this SDS.

SUSMP Classification: S6

ADG Classification: Class 9: Miscellaneous dangerous goods.

UN Number: 3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Chlorothalonil).



GHS Signal word: DANGER

Skin Sensitisation Category 1
Serious eye damage Category 1
Acute Toxicity Inhalation Category 1/2
Specific Target Organ Toxicity - Single Exposure Category 3
Carcinogenicity Category 2
Hazardous to the aquatic environment (acute) - category 1
Hazardous to the aquatic environment (chronic) - category 1

HAZARD STATEMENT:

H317: May cause an allergic skin reaction.
H318: Causes serious eye damage.
H330: Fatal if inhaled.
H335: May cause respiratory irritation.
H351: Suspected of causing cancer.
H410: Very toxic to aquatic life with long lasting effects

PREVENTION

P201: Obtain special instructions before use.
P202: Do not handle until all safety precautions have been read and understood.
P260: Do not breathe fumes, mists, vapours or spray.
P262: Do not get in eyes, on skin, or on clothing.
P264: Wash contacted areas thoroughly after handling.
P271: Use only outdoors or in a well ventilated area.
P272: Contaminated work clothing should not be allowed out of the workplace.
P273: Avoid release to the environment.
P280: Wear protective gloves, protective clothing and eye or face protection.

SAFETY DATA SHEET

P281: Use personal protective equipment as required.

P284: Wear respiratory protection.

RESPONSE

P310: Immediately call a POISON CENTRE or doctor/physician.

P363: Wash contaminated clothing before reuse.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313: If exposed or concerned: Get medical advice.

P333+P313: If skin irritation or rash occurs: Get medical advice.

P337+P313: If eye irritation persists: Get medical advice.

P391: Collect spillage.

P370+P378: Not combustible. Use extinguishing media suited to burning materials.

STORAGE

P405: Store locked up.

P410: Protect from sunlight.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

DISPOSAL

P501: Dispose of contents and containers as specified on the registered label.

Emergency Overview

Physical Description & Colour: Light brown granulated solid.

Odour: Mild but pungent odour.

Major Health Hazards: Chlorothalonil is not harmful to mammals, but it can cause severe eye and skin irritation in certain formulations. Very high doses may cause a loss of muscle coordination, rapid breathing, nose bleeding, vomiting, hyperactivity, and death. Dermatitis, vaginal bleeding, bright yellow and/or bloody urine, and kidney tumours may also occur. This product: limited evidence of a carcinogenic effect, eye irritant.

Section 3 - Composition/Information on Ingredients

Ingredients	CAS No	Conc,%	TWA (mg/m ³)	STEL (mg/m ³)
Chlorothalonil	1897-45-6	900g/kg	not set	not set
Other non hazardous ingredients	secret	to 100	not set	not set

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak" is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

Section 4 - First Aid Measures

General Information:

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

Inhalation: No first aid measures normally required. However, if inhalation has occurred, and irritation has developed, remove to fresh air and observe until recovered. If irritation becomes painful or persists more than about 30 minutes, seek medical advice.

Skin Contact: Gently brush away excess solids. Irritation is unlikely. However, if irritation does occur, flush with lukewarm, gently flowing water for 5 minutes or until chemical is removed.

Eye Contact: Quickly and gently brush particles from eyes. Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 20 minutes or until the product is removed, while holding the eyelid(s) open. Take care not to rinse contaminated water into the unaffected eye or onto the face. Obtain medical attention immediately. Take special care if exposed person is wearing contact lenses.

Ingestion: If swallowed, do NOT induce vomiting. Give a glass of water. Wash mouth with water and contact a Poisons Information Centre, or call a doctor.

SAFETY DATA SHEET

Section 5 - Fire Fighting Measures

Fire and Explosion Hazards: There is no risk of an explosion from this product under normal circumstances if it is involved in a fire. Violent steam generation or eruption may occur upon application of direct water stream on hot liquids. This product, if scattered, may form flammable or explosive dust clouds in air.

Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

Extinguishing Media: Suitable extinguishing media are carbon dioxide, dry chemical, foam, water fog.

Fire Fighting: If a significant quantity of this product is involved in a fire, call the fire brigade. Do not scatter spilled material with high pressure water jets.

Flash point: No data

Upper Flammability Limit: No data.

Lower Flammability Limit: No data.

Autoignition temperature: No data.

Flammability Class: No data.

Section 6 - Accidental Release Measures

Accidental release: In the event of a major spill, prevent spillage from entering drains or water courses. Wear full protective clothing including eye/face protection. All skin areas should be covered. See below under Personal Protection regarding Australian Standards relating to personal protective equipment. Suitable materials for protective clothing include rubber, PVC. Eye/face protective equipment should comprise as a minimum, protective goggles. If there is a significant chance that dusts are likely to build up in cleanup area, we recommend that you use a suitable Dust Mask. Use a P1 mask, designed for use against mechanically generated particles eg silica & asbestos. Otherwise, not normally necessary.

Stop leak if safe to do so, and contain spill. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Consider vacuuming if appropriate. Recycle containers wherever possible after careful cleaning. Refer to product label for specific instructions. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Full details regarding disposal of used containers, spillage and unused material may be found on the label. If there is any conflict between this SDS and the label, instructions on the label prevail. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

Section 7 - Handling and Storage

Handling: Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

Storage: This product is a Scheduled Poison. Observe all relevant regulations regarding sale, transport and storage of this schedule of poison. Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. Check packaging - there may be further storage instructions on the label.

Section 8 - Exposure Controls and Personal Protection

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

SWA Exposure Limits

TWA (mg/m³)

STEL (mg/m³)

Exposure limits have not been established by SWA for any of the significant ingredients in this product.

The ADI for Chlorothalonil is set at 0.01mg/kg/day. The corresponding NOEL is set at 1.5mg/kg/day. ADI means Acceptable Daily Intake and NOEL means No-observable-effect-level. Values taken from Australian ADI List, March 2016.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

Ventilation: This product should only be used in a well ventilated area. If natural ventilation is inadequate, use of a fan is suggested.

SAFETY DATA SHEET

Eye Protection: Protective glasses or goggles should be worn when this product is being used. Failure to protect your eyes may cause them harm. Emergency eye wash facilities are also recommended in an area close to where this product is being used.

Skin Protection: The information at hand indicates that this product is not harmful and that normally no special skin protection is necessary. However, we suggest that you routinely avoid contact with all chemical products and that you wear suitable gloves (preferably elbow-length) when skin contact is likely.

Protective Material Types: We suggest that protective clothing be made from the following materials: rubber, PVC.

Respirator: If there is a significant chance that dusts are likely to build up in the area where this product is being used, we recommend that you use a suitable Dust Mask. Otherwise, not normally necessary. Eyebaths or eyewash stations and safety deluge showers should be provided near to where this product is being used.

Section 9 - Physical and Chemical Properties:

Physical Description & colour:	Light brown granulated solid.
Odour:	Mild but pungent odour.
Boiling Point:	>350°C at 100kPa
Freezing/Melting Point:	Chlorothalonil melts about 252°C
Volatiles:	No specific data. Expected to be low at 100°C.
Vapour Pressure:	Negligible at normal ambient temperatures.
Vapour Density:	No data.
Specific Gravity:	1.8 approx (chlorothalonil)
Water Solubility:	Dispersible.
pH:	Neutral (6-8)
Volatility:	No data.
Odour Threshold:	No data.
Evaporation Rate:	No data.
Coeff Oil/water Distribution:	No data
Autoignition temp:	No data.

Section 10 - Stability and Reactivity

Reactivity: This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

Conditions to Avoid: Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight.

Incompatibilities: strong acids, strong bases, strong oxidising agents.

Fire Decomposition: Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Nitrogen and its compounds, and under some circumstances, oxides of nitrogen. Occasionally hydrogen cyanide gas in reducing atmospheres. Hydrogen chloride gas, other compounds of chlorine. Water. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

Polymerisation: This product will not undergo polymerisation reactions.

Section 11 - Toxicological Information

Toxicity: An information profile for Chlorothalonil is available at <http://extoxnet.orst.edu/pips/ghindex.html>

Acute toxicity: Chlorothalonil is not harmful to mammals, but it can cause severe eye and skin irritation in certain formulations. Very high doses may cause a loss of muscle coordination, rapid breathing, nose bleeding, vomiting, hyperactivity, and death. Dermatitis, vaginal bleeding, bright yellow and/or bloody urine, and kidney tumours may also occur. The oral LD₅₀ is greater than 10,000 mg/kg in rats and 6000 mg/kg in mice. The acute dermal LD₅₀ in both albino rabbits and albino rats is 10,000 mg/kg. In albino rabbits, 3 mg of chlorothalonil applied to the eyes caused mild irritation that subsided within 7 days of exposure.

Chronic toxicity: In a number of tests of varying lengths of time, rats fed a range of doses of chlorothalonil generally showed no effects on physical appearance, behaviour, or survival. Skin contact with chlorothalonil may result in dermatitis or light sensitivity. Human eye and skin irritation is linked to chlorothalonil exposure; 14 of 20 workers exposed to 0.5% chlorothalonil in a wood preservative developed dermatitis. All workers showed swelling and inflammation of the upper eyelids. Allergic skin responses have also been noted in farm workers.

Reproductive effects: Studies suggest that chlorothalonil will not affect human reproduction at expected exposure levels.

SAFETY DATA SHEET

Teratogenic effects: Long-term studies indicate that high doses fed to rats caused reduced weight gains for males and females in each generation studied. A study of birth defects in rabbits showed no effects. Chlorothalonil is not expected to produce birth defects in humans.

Mutagenic effects: Mutagenicity studies on various animals, bacteria, and plants indicate that chlorothalonil does not cause any genetic changes. The compound is not expected to pose mutagenic risks to humans.

Carcinogenic effects: Based on evidence from animal studies, chlorothalonil's carcinogenic potential is unclear. Male and female rats fed chlorothalonil daily over a lifetime developed carcinogenic and benign kidney tumours at the higher doses. In another study, where mice were fed high daily doses of chlorothalonil for 2 years, females developed tumours in the fore-stomach area (attributed to irritation by the compound) and males developed carcinogenic and benign kidney tumours.

Organ toxicity: Chronic studies of rats and dogs fed high dietary levels show that chlorothalonil is toxic to the kidney. In addition to less urine output, changes in the kidney included enlargement, greenish-brown colour, and development of small grains.

Fate in humans and animals: Chlorothalonil is rapidly excreted, primarily unchanged, from the body. It is not stored in animal tissues. Residues have not been found in the tissues or milk of dairy cows fed chlorothalonil.

Chlorothalonil is classed by SWA as a potential sensitiser by skin contact.

Classification of Hazardous Ingredients

Ingredient	Risk Phrases
Chlorothalonil	Conc>=20%: T+; R40; R26; R37; R41; R43
<ul style="list-style-type: none">• Carcinogenicity - category 2• Acute toxicity - category 2• Specific target organ toxicity (single exposure) - category 3• Eye damage - category 1• Skin sensitisation - category 1• Hazardous to the aquatic environment (acute) - category 1• Hazardous to the aquatic environment (chronic) - category 1	

Potential Health Effects

Persons sensitised to Chlorothalonil should avoid contact with this product.

Inhalation:

Short Term Exposure: Available data shows that this product is very toxic, but symptoms are not available. In addition product is an inhalation irritant. Symptoms may include headache, irritation of nose and throat and increased secretion of mucous in the nose and throat. Other symptoms may also become evident, but they should disappear after exposure has ceased.

Long Term Exposure: No data for health effects associated with long term inhalation.

Skin Contact:

Short Term Exposure: This product is a skin irritant. Symptoms may include itchiness and reddening of contacted skin. Classified as a potential sensitiser by skin contact. Exposure to a skin sensitiser, once sensitisation has occurred, may manifest itself as skin rash or inflammation, and in some individuals this reaction can be severe. In addition product may be irritating, but is unlikely to cause anything more than mild transient discomfort.

Long Term Exposure: No data for health effects associated with long term skin exposure.

Eye Contact:

Short Term Exposure: This product is a severe eye irritant. Symptoms may include stinging and reddening of eyes and watering which may become copious. Other symptoms such as swelling of eyelids and blurred vision may also become evident. If exposure is brief, symptoms should disappear once exposure has ceased. However, lengthy exposure or delayed treatment is likely to cause permanent damage.

Long Term Exposure: No data for health effects associated with long term eye exposure.

Ingestion:

Short Term Exposure: Significant oral exposure is considered to be unlikely. However, this product is an oral irritant. Symptoms may include burning sensation and reddening of skin in mouth and throat. Other symptoms may also become evident, but all should disappear once exposure has ceased.

Long Term Exposure: No data for health effects associated with long term ingestion.

Carcinogen Status:

SWA: Chlorothalonil is classified by SWA as a Class 3 Carcinogen, possibly carcinogenic to humans. See the SWA website for further details. A web address has not been provided as addresses frequently change.

SAFETY DATA SHEET

NTP: No significant ingredient is classified as carcinogenic by NTP.

IARC: Chlorothalonil is classed 2b IARC - possibly carcinogenic to humans.

See the IARC website for further details. A web address has not been provided as addresses frequently change.

Section 12 - Ecological Information

Very toxic to aquatic organisms, may cause long-term adverse effects to the aquatic environment. This product is not readily biodegradable.

Effects on birds: Chlorothalonil is practically nontoxic to birds. Most avian wildlife are not significantly affected by this compound.

Effects on aquatic organisms: Chlorothalonil and its metabolites are highly toxic to fish, aquatic invertebrates, and marine organisms. Fish, such as rainbow trout, bluegill, and channel catfish are noticeably affected even when chlorothalonil levels are low (less than 1 mg/L). Its bioaccumulation factor is quite low.

Effects on other organisms: The compound is nontoxic to bees.

Environmental Fate:

Breakdown in soil and groundwater: Chlorothalonil is moderately persistent. In aerobic soils, the half-life is from 1 to 3 months.

Breakdown in water: In very basic water (pH 9.0), about 65% of the chlorothalonil was degraded into two major metabolites after 10 weeks.

Breakdown in vegetation: Chlorothalonil's residues may remain on above-ground crops at harvest, but will dissipate over time. Chlorothalonil is a fairly persistent fungicide on plants, depending on the rate of application.

Section 13 - Disposal Considerations

Disposal: Special help is available for the disposal of Agricultural Chemicals. The product label will give general advice regarding disposal of small quantities, and how to cleanse containers. However, for help with the collection of unwanted rural chemicals, contact ChemClear 1800 008 182 <http://www.chemclear.com.au/> and for help with the disposal of empty drums, contact DrumMuster <http://www.drummuster.com.au/> where you will find contact details for your area.

Section 14 - Transport Information

Not subject to the ADG Code when transported by Road or Rail in Australia, in packages 500kg(L) or less; or IBCs, but classed as Dangerous by IATA and IMDG when carried by Air or Sea transport (see details below).

UN Number: 3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Chlorothalonil).

Hazchem Code: 2Z

Special Provisions: 179, 274, AU01

Limited quantities: ADG 7 specifies a Limited Quantity value of 5 kg for this class of product.

Dangerous Goods Class: Class 9: Miscellaneous Dangerous Goods.

Packaging Group: III

Packaging Method: P002, IBC08, LP02

Class 9 Miscellaneous Dangerous Goods shall not be loaded in the same vehicle or packed in the same freight container with Dangerous Goods of Class 1 (Explosives).

Section 15 - Regulatory Information

AICS: All of the significant ingredients in this formulation are compliant with NICNAS regulations.

The following ingredient: Chlorothalonil, is mentioned in the SUSMP.

Section 16 - Other Information

This SDS contains only safety-related information. For other data see product literature.

Acronyms:

ADG Code	Australian Code for the Transport of Dangerous Goods by Road and Rail (7 th edition)
AICS	Australian Inventory of Chemical Substances
SWA	Safe Work Australia, formerly ASCC and NOHSC
CAS number	Chemical Abstracts Service Registry Number
Hazchem Code	Emergency action code of numbers and letters that provide information to emergency services especially firefighters
IARC	International Agency for Research on Cancer
NOS	Not otherwise specified

SAFETY DATA SHEET



Product Name: Farmalinx CHLOROSTAR 900 WG Fungicide

Page: 7 of 7

This revision issued: May, 2022

NTP
SUSMP
UN Number

National Toxicology Program (USA)
Standard for the Uniform Scheduling of Medicines & Poisons
United Nations Number

THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS. OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using product.

This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice" (Feb 2016)

Copyright © Kilford & Kilford Pty Ltd, May, 2017.

<http://www.kilford.com.au/> Phone (02)8321 8866

SAFETY DATA SHEET

Issued by: Farmalinx Pty Ltd

Phone: 02 9389 2455 (business hours)

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)