

Section 1 - Identification of The Material and Supplier

FARMALINX Pty Ltd
Level 25, Suite 2506 (Tower 2)
101 Grafton Street
Bondi Junction, NSW 2022

Phone: 02 9389 2455
Fax: 02 9389 2844
www.farmalinx.com

Chemical nature: Metalaxyl is a phenylamide derivative.
Trade Name: **FarmaLinx Metalax G Fungicide**
APVMA Code: 80965
Product Use: Agricultural fungicide for use as described on the product label.
Creation Date: **June, 2015**
This version issued: **July, 2020** and is valid for 5 years from this date.

Section 2 - Hazards Identification

Statement of Hazardous Nature

This product is classified as: Xn, Harmful. Hazardous according to the criteria of SWA.

Not a Dangerous Good according to the Australian Dangerous Goods (ADG) Code.

Risk Phrases: R22, R43. Harmful if swallowed. May cause sensitisation by skin contact.

Safety Phrases: S20, S22, S36, S24/25. When using, do not eat or drink. Do not breathe dust. Wear suitable protective clothing. Avoid contact with skin and eyes.

SUSMP Classification: S5

ADG Classification: None allocated. Not a Dangerous Good under the ADG Code.

UN Number: None allocated



GHS Signal word: WARNING.

HAZARD STATEMENT:

H302: Harmful if swallowed.

H317: May cause an allergic skin reaction.

PREVENTION

P102: Keep out of reach of children.

P261: Avoid breathing dusts or spray.

P264: Wash contacted areas thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves, protective clothing and eye or face protection.

RESPONSE

P363: Wash contaminated clothing before reuse.

P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P333+P313: If skin irritation or rash occurs: Get medical advice.

P337+P313: If eye irritation persists: Get medical advice.

P391: Collect spillage.

P370+P378: In case of fire, use carbon dioxide, dry chemical, foam, water fog.

STORAGE

P402+P404: Store in a dry place. Store in a closed container.

P403+P235: Store in a well-ventilated place. Keep cool.

DISPOSAL

P501: Dispose of contents and containers as specified on the registered label.

SAFETY DATA SHEET

Emergency Overview

Physical Description & colour: White granulated solid.

Odour: Mild odour.

Major Health Hazards: The oral LD₅₀ of Metalaxyl in rats is 669 mg/kg and the dermal LD₅₀ is greater than 3100 mg/kg, indicating slight toxicity by ingestion and dermal application. Rabbits exhibited slight eye and skin irritation, but guinea pigs displayed no sensitization after Metalaxyl exposure. No information was available regarding the inhalation toxicity of Metalaxyl. No significant risk factors have been found for this product.

Potential Health Effects

Persons sensitised to Metalaxyl should avoid contact with this product.

See section 11 for Chronic exposure studies.

Inhalation

Short term exposure: Significant inhalation exposure is considered to be unlikely. Available data indicates that this product is not harmful. However product may be mildly irritating, although unlikely to cause anything more than mild transient discomfort.

Skin Contact:

Short term exposure: Classified as a potential sensitiser by skin contact. Exposure to a skin sensitiser, once sensitisation has occurred, may manifest itself as skin rash or inflammation, and in some individuals this reaction can be severe. In addition product may be irritating, but is unlikely to cause anything more than mild transient discomfort.

Eye Contact:

Short term exposure: Exposure via eyes is considered to be unlikely. This product may be mildly irritating to eyes, but is unlikely to cause anything more than mild discomfort which should disappear once product is removed.

Ingestion:

Short term exposure: Significant oral exposure is considered to be unlikely. This product is unlikely to cause any irritation problems in the short or long term.

Carcinogen Status:

SWA: No significant ingredient is classified as carcinogenic by SWA.

NTP: No significant ingredient is classified as carcinogenic by NTP.

IARC: No significant ingredient is classified as carcinogenic by IARC.

Section 3 - Composition/Information On Ingredients

Ingredients	Cas No	Conc,%	TWA (mg/M3)	STEL (mg/M3)
Metalaxyl	57837-19-1	50g/kg	not set	not set
Other non hazardous ingredients	secret	to 100	not set	not set

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that should not be exceeded for more than 15 minutes and should not be repeated for more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak" is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

Section 4 - First Aid Measures

General Information:

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

Inhalation: First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Skin Contact: Gently brush away excess solids. Irritation is unlikely. However, if irritation does occur, flush with lukewarm, gently flowing water for 5 minutes or until chemical is removed.

Eye Contact: No effects expected. If irritation does occur, flush contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the product is removed. Obtain medical advice if irritation becomes painful or lasts more than a few minutes.

SAFETY DATA SHEET

Ingestion: If product is swallowed or gets in mouth, wash mouth with water and give some water to drink. If symptoms develop, or if in doubt contact a Poisons Information Centre or a doctor.

Section 5 - Fire Fighting Measures

Fire and Explosion Hazards: There is no risk of an explosion from this product under normal circumstances if it is involved in a fire. Violent steam generation or eruption may occur upon application of direct water stream on hot liquids.

Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

Extinguishing Media: Preferred extinguishing media are carbon dioxide, dry chemical, foam, water fog.

Fire Fighting: When fighting fires involving significant quantities of this product, wear a splash suit complete with self contained breathing apparatus.

Flash point: Not flammable.

Upper Flammability Limit: No data.

Lower Flammability Limit: No data.

Autoignition temperature: No data

Flammability Class: No data.

Section 6 - Accidental Release Measures

Accidental release: In the event of a major spill, prevent spillage from entering drains or water courses. As a minimum, wear overalls, goggles and gloves. Suitable materials for protective clothing include rubber, PVC. Eye/face protective equipment should comprise as a minimum, protective glasses and, preferably, goggles. If there is a significant chance that vapours or mists are likely to build up in the cleanup area, we recommend that you use a respirator. Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned below (section 8).

Stop leak if safe to do so, and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. If spill is too large or if absorbent material is not available, try to create a dike to stop material spreading or going into drains or waterways. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Recycle containers wherever possible after careful cleaning. Refer to product label for specific instructions. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Full details regarding disposal of used containers, spillage and unused material may be found on the label. If there is any conflict between this SDS and the label, instructions on the label prevail. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

Section 7 - Handling And Storage

Handling: Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

Storage: This product is a Scheduled Poison. Observe all relevant regulations regarding sale, transport and storage of this schedule of poison. Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. Some liquid preparations settle or separate on standing and may require stirring before use. Check packaging - there may be further storage instructions on the label.

Section 8 - Exposure Controls And Personal Protection

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

SWA Exposure Limits

TWA (mg/m³)

STEL (mg/m³)

Exposure limits have not been established by SWA for any of the significant ingredients in this product.

The ADI for Metalaxyl is set at 0.03mg/kg/day. The corresponding NOEL is set at 3mg/kg/day. ADI means Acceptable Daily Intake and NOEL means No-observable-effect-level. Values taken from Australian ADI List, June 2014.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

SAFETY DATA SHEET

Ventilation: No special ventilation requirements are normally necessary for this product. However make sure that the work environment remains clean and that dusts are minimised.

Eye Protection: Eye protection such as protective glasses or goggles is recommended when this product is being used.

Skin Protection: If you believe you may have a sensitisation to this product or any of its declared ingredients, you should prevent skin contact by wearing impervious gloves, clothes and, preferably, apron. Make sure that all skin areas are covered. See below for suitable material types.

Protective Material Types: We suggest that protective clothing be made from the following materials: rubber, PVC.

Respirator: If there is a significant chance that dusts are likely to build up in the area where this product is being used, we recommend that you use a suitable Dust Mask.

Safety deluge showers should, if practical, be provided near to where this product is being used.

Section 9 - Physical And Chemical Properties:

Physical Description & colour:	White granulated solid.
Odour:	Mild odour.
Boiling Point:	Not available.
Freezing/Melting Point:	No specific data. Solid at normal temperatures.
Volatiles:	No specific data. Expected to be low at 100°C.
Vapour Pressure:	No data.
Vapour Density:	No data.
Specific Gravity:	No data.
Water Solubility:	Very sparingly soluble.
pH:	No data.
Volatility:	No data.
Odour Threshold:	No data.
Evaporation Rate:	No data.
Coeff Oil/water distribution:	1.75 at 25°C (log P octanol/water)
Autoignition temp:	C2

Section 10 - Stability And Reactivity

Reactivity: This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

Conditions to Avoid: Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight.

Incompatibilities: strong acids, strong bases, strong oxidising agents.

Fire Decomposition: Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Nitrogen and its compounds, and under some circumstances, oxides of nitrogen. Occasionally hydrogen cyanide gas. Water. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

Polymerisation: This product will not undergo polymerisation reactions.

Section 11 - Toxicological Information

Toxicity: Acute toxicity: The oral LD₅₀ of Metalaxyl in rats is 669 mg/kg and the dermal LD₅₀ is greater than 3100 mg/kg, indicating slight toxicity by ingestion and dermal application. Rabbits exhibited slight eye and skin irritation, but guinea pigs displayed no sensitization after Metalaxyl exposure. No information was available regarding the inhalation toxicity of Metalaxyl.

Chronic toxicity: A 90-day study of rats exposed to 0.1 to 2.5 mg/kg/day in diet, showed some cellular enlargement in the liver at the highest dose. In a similar study with dogs fed diets of approximately 0.04 to 0.8 mg/kg/day for 6 months, the dogs were adversely affected by the highest dose. Manifestations included increased blood alkaline phosphatase and increased liver-to-brain weight ratio.

Reproductive effects: A three-generation rat study where animals were fed up to 2.5 mg/kg/day showed no compound related maternal toxicity or reproductive effects. These data suggest that Metalaxyl is unlikely to cause reproductive effects.

Teratogenic effects: Rats given a dosage of 120 mg/kg/day by stomach tube on days 6 to 15 of gestation exhibited no embryotoxicity or teratogenicity, nor did rabbits given a dosage of 20 mg/kg/day by the same route on days 6 to 18. These data suggest that Metalaxyl is not teratogenic.

Mutagenic effects: Studies including a dominant lethal assay in male mice indicate that Metalaxyl has no mutagenic potential.

SAFETY DATA SHEET

Carcinogenic effects: Available studies of the carcinogenicity of Metalaxyl are inconclusive.

Organ toxicity: The liver is the primary target organ for Metalaxyl in animal systems.

Fate in humans and animals: Studies with rats and goats showed rapid metabolism and excretion via the urine and faeces. Metalaxyl is metabolized to a variety of products before excretion. Forty-day feeding studies with dairy cattle at 15 ppm/day, showed less than 0.01 ppm was stored in the muscle and fat. The liver contained 0.13 to 0.20 ppm and the kidney 0.26 to 0.83 ppm. Chickens fed for 28 days at 5 ppm in the diet had less than 0.05 ppm in the eggs, skin, fat, breast, and thigh, and less than 0.1 ppm in the liver.

Section 12 - Ecological Information

Effects on birds: Metalaxyl is reported to be practically nontoxic to birds.

Effects on aquatic organisms: Metalaxyl is practically nontoxic to freshwater fish. The 96-hour LC₅₀ values in rainbow trout, carp, and bluegill are all above 100 mg/L. Freshwater aquatic invertebrates are slightly more susceptible to Metalaxyl. Daphnia magna, a small freshwater crustacean, has an LC₅₀ of 12.5 to 28 mg/L, depending on the product formulation. This indicates that Metalaxyl is slightly toxic to this organism. There is little tendency for Metalaxyl to accumulate in the edible portion of fish. Metalaxyl did not accumulate beyond seven times the background concentration and it was quickly eliminated after exposed fish were placed in fresh (Metalaxyl-free) water.

Effects on other organisms: Metalaxyl is nontoxic to bees.

Environmental Fate:

Breakdown in soil and groundwater: Under field conditions, Metalaxyl has a half-life of 7 to 170 days in the soil environment. A representative half-life in moist soils is about 70 days. Increased sunlight may increase the rate of breakdown in the soil. It is poorly sorbed by soils and highly soluble in water ; these properties in combination with its long persistence pose a threat of contamination to groundwater. It readily leaches in sandy soil, although increased organic matter may decrease the rate of leaching. In a large-scale, national survey, Metalaxyl was detected in the groundwater of several American states at concentrations of 0.27µg/L to 2.3 mg/L.

Breakdown in water: At pH levels of 5 to 9 and temperatures of 20 to 30°C, the half-life in water was greater than 4 weeks. However, exposure to sunlight reduced the half-life to 1 week.

Breakdown in vegetation: Plants absorb foliar applications through the leaves and stems, and can translocate the compound throughout the plant. Metalaxyl is not absorbed directly from the soil by plants. The parent compound is the major residue in potato tubers and grapes, but in potato leaves and on lettuce, metabolites are the major product.

Section 13 - Disposal Considerations

Disposal: Special help is available for the disposal of Agricultural Chemicals. The product label will give general advice regarding disposal of small quantities, and how to cleanse containers. However, for help with the collection of unwanted rural chemicals, contact ChemClear 1800 008 182 <http://www.chemclear.com.au/> and for help with the disposal of empty drums, contact DrumMuster <http://www.drummuster.com.au/> where you will find contact details for your area.

Section 14 - Transport Information

ADG Code: This product is not classified as a Dangerous Good. No special transport conditions are necessary unless required by other regulations.

Section 15 - Regulatory Information

AICS: All of the significant ingredients in this product are compliant with NICNAS regulations.

The following ingredient: Metalaxyl, is mentioned in the SUSMP.

Section 16 - Other Information

This SDS contains only safety-related information. For other data see product literature.

Acronyms:

ADG Code	Australian Code for the Transport of Dangerous Goods by Road and Rail, 7th Edition
AICS	Australian Inventory of Chemical Substances
CAS number	Chemical Abstracts Service Registry Number
Hazchem Code	Emergency action code of numbers and letters that provide information to emergency services especially firefighters
IARC	International Agency for Research on Cancer
SWA	Safe Work Australia, formerly ASCC and NOHSC
NOS	Not otherwise specified
NTP	National Toxicology Program (USA)
R-Phrase	Risk Phrase
SUSMP	Standard for the Uniform Scheduling of Medicines & Poisons

SAFETY DATA SHEET



Product Name: FarmaLinx Metalax G Fungicide

Page: 6 of 6

This revision issued: July, 2020

UN Number

United Nations Number

THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS. OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using product.

This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice" (December 2011)

Copyright © Kilford & Kilford Pty Ltd, October, 2015.

<http://www.kilford.com.au/> Phone (02)9251 4532

SAFETY DATA SHEET

Issued by: Farmalinx Pty Ltd

Phone: 02 9389 2455 (office hours)

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)