FARMALINX

Neptune 400 EC

NEMATICIDE AND INSECTICIDE

DIRECTIONS FOR USE

RESTRAINTS:

DO NOT dispose of spent dip on site. Spent dip waste must be transported to a facility that can lawfully receive it.

CROP	PEST	STATE	RATE	CRITICAL COMMENTS
Aloe vera planting material	Soil borne plant parasitic nematodes	QLD, NSW, WA only	1 L/100 L water	Air dry or cure prepared pups for 48 hours prior to treatment. Immerse unpared pups in Farmalinx Neptune 400 EC Nematicide and Insecticide dip solution for 30 minutes. Allow to drain and dry. Wear elbow-length chemical resistant gloves when dipping and when handling dipped material.
Banana planting material	Soil borne plant parasitic nematodes	QLD, NSW, WA only	100 mL/ 100 L water	Pare the planting material to remove all dead tissue. Immerse planting material in Farmalinx Neptune 400 EC Nematicide and Insecticide dip solution for 10 minutes. Allow to drain and dry. Wear elbow-length chemical resistant gloves when dipping and when handling dipped material.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS THORISED UNDER APPROPRIATE LEGISLATION

WOOD DUCKS (*Chenonetta jubata*) MAY BE PUT AT RISK IF THIS PRODUCT IS USED INCORRECTLY. DO NOT USE THIS PRODUCT IN THE HOME GARDEN

WITHHOLDING PERIODS:

BANANA AND ALOE VERA PLANTING MATERIAL: NOT REQUIRED WHEN USED AS DIRECTED

GENERAL INSTRUCTIONS

MIXING

Add the required quantity of FARMALINX NEPTUNE 400 EC NEMATICIDE AND INSECTICIDE to the dip vat full of water while stirring. Agitate before use if mixture has been left overnight.

ACCELERATED BIODEGRADATION

As with other soil insecticides the effectiveness of this product may be reduced as a result of the soil microflora developing the ability to biodegrade it at an accelerated rate, particularly after repeated application. If unacceptable control occurs, immediately contact your Farmalinx representative for detailed information. This product should not be used where the user suspects the soil microflora have developed the ability to degrade it at an accelerated rate. Farmalinx accepts no responsibility, and intends by this statement to exclude liability, if the effectiveness of this product is reduced or nullified as a result of accelerated biodegradation, since biodegradation is accelerated by soil characteristics which occur naturally and are beyond Farmalinx's control.

INSECTICIDE RESISTANCE WARNING:

For insecticide resistance management FARMALINX NEPTUNE 400 EC Nematicide and Insecticide is a Group 1B insecticide. Some naturally occurring insect biotypes resistant to FARMALINX NEPTUNE 400 EC Nematicide and Insecticide may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if FARMALINX NEPTUNE 400 EC Nematicide and Insecticide or other Group 1B insecticides are used repeatedly. The effectiveness of FARMALINX NEPTUNE 400 EC Nematicide and Insecticide or other Group 1B insecticides are used repeatedly. The effectiveness of FARMALINX NEPTUNE 400 EC Nematicide and Insecticide on resistant individuals could be significantly reduced. Since the occurrence of resistant individuals is difficult to detect prior to use, Farmalinx Pty. Ltd accepts no liability for any losses that may result from the failure of FARMALINX NEPTUNE 400 EC Nematicide and Insecticide to control resistant individuals NEPTUNE 400 EC Nematicide and Insecticide to control resistant individuals for any losses that may result from the failure of FARMALINX NEPTUNE 400 EC Nematicide and Insecticide to control resistant individuals with the failure of FARMALINX NEPTUNE 400 EC Nematicide and Insecticide to control resistant individuals used to specific resistance management strategies. For further information contact your local supplier, Farmalinx Pty. Ltd representative or local agricultural department agronomist.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Dangerous to fish and other aquatic invertebrates. DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

Store in a locked room or place away from children, animals, food, feedstuffs, seed and fertilisers. Store in the closed, original container in a dry, cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Triple-rinse containers before disposal. Add rinsings to dip tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

For refillable containers. Empty container fully into application equipment. Close all valves and return to point of supply for refill or storage.

Envirodrum 110L and 200L Mini Bulk Returnable Container Store in a locked room or place away from children, animals, food, feedstuffs, seed and fertilisers. Store the original sealed Envirodrum in a cool, well ventilated area. DO NOT store for prolonged periods in direct sunlight. DO NOT tamper with the Micro matic valve or the security seal. DO NOT contaminate the Envirodrum with water or any other foreign matter. After each use of the product please ensure the Micro Matic coupler, delivery system and hoses are disconnected, triple rinsed with clean water and drained accordingly. When the contents of the Envirodrum have been used please return the empty Envirodrum to point of purchase. The Envirodrum remains the property of Faramlinx Pty Ltd.

SAFETY DATA SHEET

Additional information is listed in the safety data sheet (SDS). A safety data sheet for FARMALINX Neptune 400 EC is available from FARMALINX Pty Ltd on request. Call Customer Service on 02 9389 2455.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. No warranty (other than non-excludable statutory warranties) of merchantability or fitness for a particular purpose, express or implied, extends to the use of product contrary to label instructions, or under off-label permits not endorsed by Farmalinx Pty Ltd or under abnormal conditions. Farmalinx Pty Ltd accepts no liability for any loss or damage arising from incorrect storage, handling or use.



Partners in Agriculture

FARMALINX Pty Ltd ABN 95 134 353 245 Level 25, Suite 2506, Tower 2, 101 Grafton Street, Bondi Junction NSW 2022 T: 02 9389 2455 F: 02 9389 2844 Website: www.farmalinx.com

APVMA Approval NO.: 69011/118824

DIP DISPOSAL

D0 N0T dispose of spent dip on site. Spent dip waste must be transported to a facility that can lawfully receive it.

SAFETY DIRECTIONS:

Poisonous if absorbed by skin contact or inhaled or swallowed. Repeated minor exposure may have a cumulative poisoning effect. Will damage eyes and skin. Will irritate the nose and throat. Avoid contact with eyes and skin. Do not inhale vapour. When preparing dip and using the prepared dip wear cotton overalls buttoned to the neck and wrist and a washable hat, protective waterproof clothing or a PVC apron, elbow-length chemical resistant gloves and impervious footwear and face shield or goggles. If clothing becomes contaminated with product or wet with spray remove clothing immediately. If product in eyes, wash it out immediately with water. If product or dip on skin, immediately wash area with soap and water. After use and before eating drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and goggles and contaminated clothing.

FIRST AID:

If swallowed, splashed on skin or in eyes, or inhaled, contact a Poisons Information Centre (phone Australia 131 126) or a doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed.

