

# DANGEROUS POISON

KEEP OUT OF REACH OF CHILDREN

CAN KILL IF SWALLOWED

DO NOT PUT IN DRINK BOTTLES

KEEP LOCKED UP

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

FARMALINX

# Parquat 250

## HERBICIDE

ACTIVE CONSTITUENT: 250 g/L PARAQUAT present as PARAQUAT DICHLORIDE

GROUP **L** HERBICIDE

**FOR USE BY LICENSED/AUTHORISED PERSONS ONLY**

***For the control of a wide range of grasses and broad leaf weeds  
as per Directions for Use.***

***This formulation contains a stench and a non-ionic wetting agent.***

**IMPORTANT: READ THE ATTACHED LEAFLET BEFORE OPENING OR USING**

***farmalinx*** *Partners in Agriculture*

FARMALINX Pty Ltd ABN 95 134 353 245  
Suite 2506, Level 25, Tower 2, 101 Grafton Street, Bondi Junction NSW 2022  
T: 02 9389 2455 F: 02 9389 2844 W: [www.farmalinx.com](http://www.farmalinx.com)

CONTENTS  
**20 Litres**

FARMALINX

# Parquat 250

HERBICIDE

## STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. Store in a locked room or place away from children, animals, food, feedstuffs, seed and fertilisers.

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or a designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

## SAFETY DIRECTIONS

Very dangerous, particularly the concentrate. Product is poisonous if swallowed. Will irritate the nose and throat and skin. Attacks eyes. Protect eyes while using. Avoid contact with eyes and skin and clothing. When opening the container and preparing product for use, wear elbow-length PVC gloves, and face shield or goggles. If product on skin, immediately wash area with soap and water. If clothing becomes contaminated with product remove clothing immediately. If product in eyes, wash it out immediately with water. Avoid contact with spray mist. DO NOT inhale spray mist. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

## FIRST AID

If poisoning occurs get to a doctor or hospital quickly. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

## SDS


Additional information is listed in the safety data sheet (SDS). A safety data sheet for FARMALINX Parquat 250 Herbicide is available from FARMALINX Pty Ltd on request. Call Customer Service on 02 9389 2455.

**Causes damage to organs through prolonged or repeated exposure.**

Get medical advice or attention if you feel unwell.

**NOTICE:** Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. No warranty (other than non-excludable statutory warranties) of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions, or under off-label permits not endorsed by FARMALINX Pty Ltd or under abnormal conditions. FARMALINX Pty Ltd accepts no liability for any loss or damage arising from incorrect storage, handling or use.

APVMA Approval No.: 64281/10-1000L/0809



UN2922  
CORROSIVE LIQUID,  
TOXIC N.O.S  
(PARAQUAT  
DICHLORIDE)  
HAZCHEM 2X



IN A TRANSPORT  
EMERGENCY  
**DIAL 000**  
POLICE OR FIRE BRIGADE

SPECIALIST ADVICE IN AN EMERGENCY ONLY

**0417 653 654**

ALL HOURS – AUSTRALIA WIDE



Batch No.

Date of Manufacture

**farmalinx**

*Partners in Agriculture*