

Section 1 - Identification of The Material and Supplier

FARMALINX Pty Ltd Level 25, Suite 2506 (Tower 2) 101 Grafton Street Bondi Junction, NSW 2022

Phone: 02 9389 2455 Fax: 02 9389 2844 www.farmalinx.com

Chemical nature:	Chlorsulfuron is a sulfonylurea derivative.	
Trade Name:	Farmalinx Tufman Herbicide	
Product Use:	Agricultural herbicide for use as described on the product label.	
Creation Date:	April, 2010	
This version issued:	July, 2020 and is valid for 5 years from this date.	
Operations Operational Edge (Generation		

Section 2 - Hazards Identification

Statement of Hazardous Nature

This product is classified as: Not classified as hazardous according to the criteria of SWA Australia.

Not a Dangerous Good according to the Australian Dangerous Goods (ADG) Code.

Risk Phrases: Not Hazardous - No criteria found.

Safety Phrases: S22, S24/25. Do not breathe dust. Avoid contact with skin and eyes.

SUSMP Classification: S5

ADG Classification: None allocated. Not a Dangerous Good.

UN Number: None allocated

GHS Signal word: NONE. Not hazardous.

PREVENTION

P102: Keep out of reach of children.

P281: Use personal protective equipment as required.

RESPONSE

P353: Rinse skin or shower with water.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P332+P313: If skin irritation occurs: Get medical advice.

P337+P313: If eye irritation persists: Get medical advice.

P391: Collect spillage.

P370+P378: In case of fire, use carbon dioxide, dry chemical, foam, water fog.

STORAGE

P402+P404: Store in a dry place. Store in a closed container.

DISPOSAL

P501: Dispose of contents and containers as specified on the registered label.

Emergency Overview

Physical Description & colour: White to light tan coloured powder. **Odour:** No odour.

Major Health Hazards: Toxicity described in animals from the administration of a single dose of Chlorsulfuron include lung changes, weakness and other nonspecific effects. Repeated dosing caused decreased weight gain, and haematological and clinical chemical changes. Long-term dosing resulted in decreased body weight gain, and slight haematological changes.

Potential Health Effects

Inhalation

Short term exposure: Available data indicates that this product is not harmful. However, this product may be irritating, but is unlikely to cause anything more than mild transient discomfort.

Long Term exposure: No data for health effects associated with long term inhalation.

Skin Contact:

Short term exposure: Available data indicates that this product is not harmful. It should present no hazards in normal use. In addition, this product may be irritating, but is unlikely to cause anything more than mild transient discomfort.

SAFETY DATA SHEET

Issued by: Farmalinx Pty Ltd

Phone: 02 9389 2455 (office hours)

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)



Long Term exposure: No data for health effects associated with long term skin exposure.

Eye Contact:

Short term exposure: Available data shows that this product is not harmful. In addition, this product may be irritating to eyes, but is unlikely to cause anything more than mild transient discomfort.

Long Term exposure: No data for health effects associated with long term eye exposure.

Ingestion:

Short term exposure: Available data shows that this product is not harmful. This product is unlikely to cause any irritation problems in the short or long term.

Long Term exposure: No data for health effects associated with long term ingestion.

Carcinogen Status:

SWA: No significant ingredient is classified as carcinogenic by SWA.

NTP: No significant ingredient is classified as carcinogenic by NTP.

IARC: No significant ingredient is classified as carcinogenic by IARC.

Section 3 - Composition/Information on Ingredients					
Ingredients	CAS No	Conc,%	TWA (mg/m ³)	STEL (mg/m ³)	
Chlorsulfuron	64902-72-3	750g/kg	not set	not set	
Other non hazardous ingredients	secret	to 100	not set	not set	
- · · · · · · ·				e	

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that should not be exceeded for more than 15 minutes and should not be repeated for more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

Section 4 - First Aid Measures

General Information:

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia and is available at all times. Have this SDS with you when you call.

Inhalation: No first aid measures normally required. However, if inhalation has occurred, and irritation has developed, remove to fresh air and observe until recovered. If irritation becomes painful or persists more than about 30 minutes, seek medical advice.

Skin Contact: Irritation is unlikely. However, if irritation does occur, flush with lukewarm, gently flowing water for 5 minutes or until chemical is removed.

Eye Contact: No effects expected. If irritation does occur, flush contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the product is removed.

Ingestion: First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Section 5 – Fire Fighting Measures

Fire and Explosion Hazards: There is no risk of an explosion from this product under normal circumstances if it is involved in a fire. This product, if scattered, may form flammable or explosive dust clouds in air.

Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

Extinguishing Media: Preferred extinguishing media are carbon dioxide, dry chemical, foam, water fog. **Fire Fighting:** When fighting fires involving significant quantities of this product, wear a splash suit complete with self contained breathing apparatus. Do not scatter spilled material with high pressure water jets.

Flammability Class:	Does not burn.
Autoignition temperature:	Not applicable - does not burn.
Lower Flammability Limit:	Does not burn.
Upper Flammability Limit:	Does not burn.
Flash point:	Does not burn.

Section 6 – Accidental Release Measures

Accidental release: In the event of a major spill, prevent spillage from entering drains or water courses. As a minimum, wear overalls, goggles and gloves. Suitable materials for protective clothing include cotton, rubber, PVC.

Issued by: Farmalinx Pty Ltd

SAFETY DATA SHEET

Phone: 02 9389 2455 (office hours)

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)



Stop leak if safe to do so, and contain spill. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Full details regarding disposal of used containers, spillage and unused material may be found on the label. If there is any conflict between this SDS and the label, instructions on the label prevail. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

Section 7 – Handling and Storage

Handling: Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

Storage: This product is a Scheduled Poison. Observe all relevant regulations regarding sale, transport and storage of this class of poison. Make sure that containers of this product are kept tightly closed. Keep away from combustible materials. Make sure that the product does not come into contact with substances listed under "Materials to avoid" in Section 10. Check packaging - there may be further storage instructions on the label.

Section 8 Exposure Controls and Personal Protection

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

SWA Exposure Limits TWA (mg/m³)

STEL (mg/m³)

Exposure limits have not been established by SWA for any of the significant ingredients in this product.

The ADI for Chlorsulfuron is set at 0.05mg/kg/day. The corresponding NOEL is set at 5mg/kg/day. ADI means Acceptable Daily Intake and NOEL means No-observable-effect-level. Values taken from Australian ADI List, June 2014.

Ventilation: No special ventilation requirements are normally necessary for this product. However make sure that the work environment remains clean and that dusts are minimised.

Eye Protection: Eye protection such as protective glasses or goggles is recommended when product is being used. **Skin Protection:** You should avoid contact even with mild skin irritants. Therefore you should wear suitable impervious elbow-length gloves and facial protection when handling this product. See below for material types. **Protective Material Types:** We suggest that protective clothing be made from the following materials: cotton, rubber, PVC.

Respirator: If there is a significant chance that dusts are likely to build up in the area where this product is being used, we recommend that you use a suitable Dust Mask. Otherwise, not normally necessary.

Section 9 - Physical and Chemical Properties:

occuon of a hysical and onemical reperites.	
Physical Description & colour:	White to light tan coloured powder.
Odour:	No odour.
Boiling Point:	Not available.
Freezing/Melting Point:	No data. Chlorsulfuron melts 170-173°C
Volatiles:	No specific data. Expected to be low at 100°C.
Vapour Pressure:	No data. Expected to be low at normal room temperatures.
Vapour Density:	No data.
Specific Gravity:	No data. Bulk density about 0.59
Water Solubility:	Forms suspensions.
pH:	No data.
Volatility:	No data.
Odour Threshold:	No data.
Evaporation Rate:	No data.
Coeff Oil/water distribution:	No data
Autoignition temp:	No data.

SAFETY DATA SHEET

Issued by: Farmalinx Pty Ltd Phone: 02 9389 2455 (office hours) Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)



Section 10 – Stability and Reactivity

Reactivity: This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

Conditions to Avoid: This product should be kept in a cool place, preferably below 30°C. Keep away from sources of sparks or ignition.

Incompatibilities: strong oxidising agents.

Fire Decomposition: Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Nitrogen and its compounds, and under some circumstances, oxides of nitrogen. Occasionally hydrogen cyanide gas. Oxides of sulfur (sulfur dioxide is a respiratory hazard) and other sulfur compounds. Most will have a foul odour. Hydrogen chloride gas, other compounds of chlorine. Water. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death. Hydrogen cyanide poisoning signs and symptoms are weakness, dizziness, headache, nausea, vomiting, coma, convulsions, and death. Death results from respiratory arrest. Hydrogen cyanide gas acts very rapidly; symptoms and death can both occur quickly.

Polymerisation: This product is unlikely to undergo polymerisation processes.

Section 11 – Toxicological Information

In 2 year feeding trials, rats receiving 100mg/gk diet and mice receiving 500mg/kg diet showed no ill effect. Tests for oncogenicity, mutagenicity and teratogenicity were negative.

The effects in animals from repeated exposures by inhalation to Chlorsulfuron include decreased weight gain, reversible kidney and spleen effects, and bone marrow changes.

Toxicity described in animals from the administration of a single dose of Chlorsulfuron include lung changes, weakness and other nonspecific effects. Repeated dosing caused decreased weight gain, and haematological and clinical chemical changes. Long-term dosing resulted in decreased body weight gain, and slight haematological changes. Animal testing indicates that Chlorsulfuron, the active ingredient, does not have carcinogenic, or reproductive effects. Developmental toxicity has been observed but only at maternally toxic dose levels. Chlorsulfuron did not produce genetic damage in bacterial or mammalian cell cultures. It did not produce heritable genetic damage.

Section 12 – Ecological Information

This product is biodegradable. It will not accumulate in the soil or water or cause long term problems.

Section 13 – Disposal Considerations

Disposal: Special help is available for the disposal of Agricultural Chemicals. The product label will give general advice regarding disposal of small quantities, and how to cleanse containers. However, for help with the collection of unwanted rural chemicals, contact ChemClear 1800 008 182 http://www.chemclear.com.au/ and for help with the disposal of empty drums, contact DrumMuster http://www.drummuster.com.au/ where you will find contact details for your area.

Section 14 – Transport Information

ADG Code: This product is not classified as a Dangerous Good. No special transport conditions are necessary unless required by other regulations.

Section 15 – Regulatory Information

AICS: All of the significant ingredients in this product are compliant with NICNAS regulations. The following ingredient: Chlorsulfuron is found in the SUSMP.

Section 16 – Other Information

This SDS contains only safety-related information. For other data see product literature.

Acronyms:

ADG Code	Australian Code for the Transport of Dangerous Goods by Road and Rail (7 th edition)
AICS	Australian Inventory of Chemical Substances
SWA	Safe Work Australia, formerly ASCC and NOHSC
CAS number	Chemical Abstracts Service Registry Number
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program (USA)
R-Phrase	Risk Phrase

SAFETY DATA SHEET

Issued by: Farmalinx Pty Ltd

Phone: 02 9389 2455 (office hours)

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)



SUSMP	Standard for the Uniform Scheduling of Medicines & Poisons
UN Number	United Nations Number
TO SAFELY HANDLE AND US	R BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW SE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW IDLED AND USED IN THE WORKPLACE.
THE USER SHOULD CONTAC	HER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, CT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT S ALSO AVAILABLE ON REQUEST
	S ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using product.

This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice" (December 2011) Copyright © Kilford & Kilford Pty Ltd, October, 2015.

http://www.kilford.com.au/ Phone (02)9251 4532