

according to WHS Regulations

Printing date 24.06.2020

1 Identification

Product Name: FARMALINX REBEL HERBICIDE

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Agricultural herbicide

Details of Manufacturer or Importer:

Farmalinx Suite 2506, Level 25, Tower 2, 101 Grafton Street, Bondi Junction NSW 2022

Phone Number: 02 9389 2455

Emergency telephone number: 0429 39 6088

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)



Serious Eye Damage/Irritation 1 H318 Causes serious eye damage.



Acute Toxicity (Oral) 4	H302	Harmful if swallowed.
Skin Corrosion/Irritation 2	H315	Causes skin irritation.
Skin Sensitisation 1	H317	May cause an allergic skin reaction.
STOT SE 3	H335	May cause respiratory irritation.
Aquatic Acute 3	H402	Harmful to aquatic life.
Aquatic Chronic 3	H412	Harmful to aquatic life with long lasting effects.

Signal Word Danger

Hazard Statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves / eye protection / face protection.
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Revision: 24.06.2020

Page 2/6

Safety Data Sheet

according to WHS Regulations

Printing date 24.06.2020

Product Name: FARMALINX REBEL HERBICIDE

(Contd. of page 1)

Revision: 24.06.2020

P302+P352	IF ON SKIN: Wash with plenty of water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	B IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P330	Rinse mouth.
P362+P364	Take off contaminated clothing and wash it before reuse.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

CAS: 94-75-7	2,4-D (ISO)		
	Serious Eye Damage/Irritation 1, H318; () Acute Toxicity (Oral) 4, H302; Skin Sensitisation 1, H317; STOT SE 3, H335; Aquatic Acute 3, H402; Aquatic Chronic 3, H412		
CAS: 1118-92-9	N,N-Dimethyloctanamide	7.5 - 22.5%	
	Serious Eye Damage/Irritation 1, H318; Skin Corrosion/Irritation 2, H315	-	
CAS: 14433-76-2	N,N-Dimethyldecanamide	7.5 - 20%	
	 Skin Corrosion/Irritation 2, H315; Serious Eye Damage/Irritation 2A, H319; STOT SE 3, H335 		
CAS: 107-21-1	1,2-Ethanediol	0.375 - 7.5%	
	🚯 Acute Toxicity (Oral) 4, H302; STOT SE 3, H335		

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Seek medical attention if symptoms occur.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: May cause respiratory irritation and headache.

Skin Contact: Causes skin irritation. May cause an allergic skin reaction.

Eye Contact: Causes serious eye damage, redness and watering.

Ingestion: Harmful if swallowed. May cause gastrointestinal irritation.

according to WHS Regulations

Printing date 24.06.2020

Revision: 24.06.2020

Product Name: FARMALINX REBEL HERBICIDE

(Contd. of page 2)

Page 3/6

5 Fire Fighting Measures

Suitable Extinguishing Media: Use fire extinguishing methods suitable to surrounding conditions.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon and sulphur, other sulphur compounds, smoke and water.

This product is not flammable, but may burn or decompose in a fire.

Containers close to fire should be removed if safe to do so. Use water spray to cool fire exposed containers.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation. Extinguish all sources of ignition. Avoid sparks and open flames. No smoking.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Contaminated work clothing must not be allowed out of the workplace. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from direct sunlight. Keep away from strong oxidising agents, acids and bases.

8 Exposure Controls and Personal Protection Exposure Standards: CAS: 94-75-7 2,4-D (ISO) WES TWA: 10 mg/m³

Sen

Engineering Controls: Ensure adequate ventilation of the working area.

Respiratory Protection:

Respiratory protection is not required under normal use conditions.

Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Butyl rubber, neoprene or teflon gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation

Printing date 24.06.2020

Product Name: FARMALINX REBEL HERBICIDE

(Contd. of page 3)

Revision: 24.06.2020

rate and permeation breakthrough time should be considered. Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:	
Form:	Liquid
Colour:	Clear amber
Odour:	Faint characteristic odour
Odour Threshold:	No information available
pH-Value:	2.5 - 4.0 (1%)
Melting point/freezing point:	No information available
Initial Boiling Point/Boiling Range:	No information available
Flash Point:	No information available
Flammability:	Product is not flammable.
Auto-ignition Temperature:	No information available
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	No information available
Upper:	No information available
Vapour Pressure:	No information available
Relative Density:	1.11 - 1.17
Vapour Density:	No information available
Evaporation Rate:	No information available
Solubility in Water:	Soluble in water
Partition Coefficient (n-octanol/water):	No information available
Viscosity:	No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: Direct sunlight.

Incompatible Materials: Strong oxidising agents, acids and bases.

Hazardous Decomposition Products:

Oxides of carbon and sulphur, other sulphur compounds, smoke and water.

11 Toxicological Information

Toxicity:

LD50/LC50 Values Relevant for Classification:						
CAS: 94-75-7 2,4-D (ISO)			2,4-D (ISO)			
	Oral	LD50	370 mg/kg (rat)			
	Dermal	LD50	1,500 mg/kg (rat)			

(Contd. on page 5)

Page 4/6

according to WHS Regulations

Printing date 24.06.2020

Product Name: FARMALINX REBEL HERBICIDE

CAS: 107-21-1 1,2-Ethanediol

Oral LD50 5,840 mg/kg (rat) Dermal LD50 9,530 mg/kg (rabbit)

Acute Health Effects

Inhalation: May cause respiratory irritation and headache. **Skin:** Causes skin irritation. May cause an allergic skin reaction.

Eye: Causes serious eye damage, redness and watering.

Ingestion: Harmful if swallowed. May cause gastrointestinal irritation.

Skin Corrosion / Irritation: Causes skin irritation.

Serious Eye Damage / Irritation: Causes serious eye damage.

Respiratory or Skin Sensitisation: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity:

2, 4-D (2.4-dichlorophenoxyacetic acid) is classified by IARC as Group 2B - Possibly carcinogenic to humans.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure: May cause respiratory irritation.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: Repeated exposure may cause skin sensitisation.

Existing Conditions Aggravated by Exposure: No information available

Additional toxicological information:

The Australian Acceptable Daily Intake (ADI) for 2.4-dichlorophenoxyacetic acid (2.4-D) for a human is 0.01 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 1 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species.

(Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2020).

12 Ecological Information

Ecotoxicity:

Aquatic toxicity: Harmful to aquatic life with long lasting effects.

CAS: 107-21-1 1,2-Ethanediol

EC50/48 h 49,000 mg/l (daphnia)

EC50/96 h 6,500-13,000 mg/l (green algae)

LC50/96 h 22,810 mg/l (rainbow trout)

Persistence and Degradability: No further relevant information available.

Bioaccumulative Potential: No further relevant information available.

Mobility in Soil: No further relevant information available. **Other adverse effects:** No further relevant information available. Revision: 24.06.2020

according to WHS Regulations

Printing date 24.06.2020

Product Name: FARMALINX REBEL HERBICIDE

(Contd. of page 5)

Revision: 24.06.2020

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number Not regulated

Proper Shipping Name Not regulated

Dangerous Goods Class Not regulated

Packing Group: Not regulated

15 Regulatory Information

Australian Inventory of Chemical Substances:

CAS: 94-75-7 2,4-D (ISO)

CAS: 1118-92-9 N,N-Dimethyloctanamide

CAS: 14433-76-2 N,N-Dimethyldecanamide

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule: Poisons Schedule: 6

16 Other Information

Date of Preparation or Last Revision: 24.06.2020

Prepared by: MSDS.COM.AU Pty Ltd

Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent IARC: International Agency for Research on Cancer STEL: Short Term Exposure Limit TWA: Time Weighted Average NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants) Acute Toxicity (Oral) 4: Acute toxicity - Category 4 Skin Corrosion/Irritation 2: Skin corrosion/irritation - Category 2 Serious Eye Damage/Irritation 1: Serious eye damage/eye irritation - Category 1 Serious Eye Damage/Irritation 2A: Serious eye damage/eye irritation - Category 2A Skin Sensitisation 1: Skin sensitisation, Hazard Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Aquatic Acute 3: Hazardous to the aquatic environment, short-term (Acute). Category 3 Aquatic Chronic 3: Hazardous to the aquatic environment, long-term (Chronic). Category 3

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - May 2018"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Farmalinx makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.

www.msds.com.au

Page 6/6