

# POISON

KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

FARMALINX

# REBEL

## HERBICIDE

ACTIVE CONSTITUENT: 440 g/L 2,4-D ACID

SOLVENT: 375 g/L N,N-DIMETHYLOCTANAMIDE and N,N-DIMETHYLDECANAMIDE

GROUP

HERBICIDE

*A non-volatile product for selective control of various weeds in crops, pastures and non-agricultural areas as per the Directions For Use Table.*

**THIS IS A PHENOXY HERBICIDE THAT CAN CAUSE SEVERE DAMAGE TO NATIVE PASTURES OR SUSCEPTIBLE CROPS SUCH AS COTTON, GRAPES, TOMATOES, OILSEED CROPS AND ORNAMENTALS.**

**IMPORTANT: READ THE ATTACHED LEAFLET BEFORE OPENING OR USING**

 **farmalinx** *Partners in Agriculture*

FARMALINX Pty Ltd ABN 95 134 353 245

Level 25, Suite 2506, Tower 2, 101 Grafton Street, Bondi Junction NSW 2022  
T: 02 9389 2455 F: 02 9389 2844 W: [www.farmalinx.com](http://www.farmalinx.com)

CONTENTS

**20 Litres**



FARMALINX

# REBEL

## HERBICIDE

### STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight.

Triple rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulation. Do not burn empty containers or product.

### SAFETY DIRECTIONS

Harmful if absorbed by the skin, inhaled or swallowed. Will irritate eyes and skin. Repeated exposure may cause allergic disorders. Avoid contact with eyes and skin. Avoid inhaling vapour. When preparing the spray for boomspray or aerial spraying equipment, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), elbow-length chemical resistant gloves, face shield or goggles and half face piece respirator. If applying by spraying equipment carried on the back of the user, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and elbow-length chemical resistant gloves. Wash hands after use. After each day's use, wash gloves, respirator, face shield or goggles and contaminated clothing.

### FIRST AID

If poisoning occurs, contact a Doctor or Poisons Information Centre. Phone Australia 13 11 26, New Zealand 0800 764 766. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

### SDS

Additional information is listed in the safety data sheet (SDS). A safety data sheet for FARMALINX REBEL Herbicide is available from FARMALINX Pty Ltd on request. Call Customer Service on 02 9389 2455.

Do not eat, drink or smoke when using this product.  
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
 If skin irritation or rash occurs: Get medical advice.

### CONDITIONS OF SALE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. No warranty (other than non-excludable statutory warranties) of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions, or under off-label permits not endorsed by FARMALINX Pty Ltd or under abnormal conditions. FARMALINX Pty Ltd accepts no liability for any loss or damage arising from incorrect storage, handling or use.

APVMA Approval No.: 84093/122050



IN A TRANSPORT  
EMERGENCY  
**DIAL 000**  
POLICE OR FIRE BRIGADE

SPECIALIST ADVICE IN AN EMERGENCY ONLY  
**0417 653 654**  
 ALL HOURS – AUSTRALIA WIDE

Batch No.

Date of Manufacture



20L

**farmalinx**  
Partners in Agriculture