

**POISON**  
**KEEP OUT OF REACH OF CHILDREN**  
**READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

FARMALINX

# Zilch Miticide

**ACTIVE CONSTITUENT: 100 g/L HEXYTHIAZOX**  
**SOLVENT: 753 g/L XYLENE**

**GROUP 10A INSECTICIDE**

*For the control of twospotted mite (*Tetranychus urticae*) and European red mite (*Panonychus ulmi*) on apples, pears, stone fruit, and ornamentals and for control of twospotted mite on strawberries.*

**IMPORTANT: READ THE ATTACHED LEAFLET BEFORE OPENING OR USING.**

**farmalinx** *Partners in Agriculture*

FARMALINX Pty Ltd ABN 95 134 353 245  
 Suite 2506, Level 25, Tower 2, 101 Grafton Street, Bondi Junction NSW 2022  
 T: 02 9389 2455 F: 02 9389 2844 W: www.farmalinx.com

CONTENTS  
**1 Litre**

LIFT  
 HERE



#### STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. **DO NOT** burn empty containers or product.

#### SAFETY DIRECTIONS

Will damage eyes. Will irritate the skin. Avoid contact with eyes and skin. If product on skin, immediately wash area with soap and water. If product in eyes, wash it out immediately with water. When opening the container and preparing spray wear cotton overalls buttoned to the neck and wrist and washable hat, elbow length PVC gloves and goggles. Wash hands after use. After each day's use, wash gloves, goggles and contaminated clothing.

#### FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131 126. If swallowed, do NOT induce vomiting. Give a glass of water. If skin contact occurs, remove contaminated clothing and wash skin thoroughly. Remove from contaminated area. Apply artificial respiration if not breathing. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

#### SDS

Additional information is listed in the safety data sheet (SDS). A safety data sheet for Farmalinx Zilch Miticide is available from FARMALINX Pty Ltd on request. Call Customer Service on 02 9389 2455.

#### Flammable liquid and vapour.

Keep away from heat, sparks, open flames and hot surfaces.

- No smoking.

Take precautionary measures against static discharge.

In case of fire, use carbon dioxide, dry chemical, foam, water fog. Alcohol resistant foam or normal foam can be used.

#### Harmful if inhaled.

Avoid breathing fumes, mists, vapours or spray.

#### NOTICE:

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. No warranty (other than non-excludable statutory warranties) of merchantability or fitness for a particular purpose, express or implied, extends to the use of product contrary to label instructions, or under off-label permits not endorsed by Farmalinx Pty Ltd or under abnormal conditions. Farmalinx Pty Ltd accepts no liability for any loss or damage arising from incorrect storage, handling or use.



IN A TRANSPORT  
 EMERGENCY  
**DIAL 000**

POLICE OR FIRE BRIGADE

SPECIALIST ADVICE IN AN EMERGENCY ONLY

**0417 653 654**

ALL HOURS – AUSTRALIA WIDE

Batch No.

Date of  
 Manufacture



9 13437131004400

APVMA Approval No. 86220/115035