

POISON

KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

FARMALINX

DSMA 100

HERBICIDE

ACTIVE CONSTITUENT: 100 g/L DSMA

GROUP Z HERBICIDE

*A selective post-emergent contact herbicide
for the control of certain broadleaf weeds and
grasses in sports turf and lawn as specified in the
Directions for Use.*

IMPORTANT: READ THE ATTACHED LEAFLET BEFORE OPENING OR USING THIS PRODUCT

farmalinx *Partners in Agriculture*

FARMALINX Pty Ltd ABN 95 134 353 245
Level 25, Suite 2506, Tower 2, 101 Grafton Street, Bondi Junction NSW 2022
T: 02 9389 2455 F: 02 9389 2844 W: www.farmalinx.com

CONTENTS

10 L

FARMALINX

DSMA 100**HERBICIDE****DIRECTIONS FOR USE****RESTRAINTS:**

DO NOT spray on windy days because of possible drift and damage to desirable plants.

DO NOT apply with misters.

CROP/SITUATION	WEEDS CONTROLLED	STATE	RATE
Turf and lawn grasses of Common couch, Indian couch	Crab Grass (NSW), Kyllinga Weed, Mullumbimby Couch, Nut Grass, Paspalum, Sedges, Various species, Summer Grasses	Qld, NSW, Vic, SA only	Use 145 mL in 10 L of water over 10 m ² .
		WA only	Use 63 mL in 10 L of water over 10 m ² .
Bent and Fescue	Crab Grass (NSW), Kyllinga Weed, Mullumbimby Couch, Nut Grass, Paspalum, Sedges, Various species, Summer Grasses	Qld, NSW, Vic, SA only	Use 88 mL in 10 L of water over 10 m ² .
Buffalo		WA only	Use 63 mL in 10 L of water over 10 m ² .

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

NOT TO BE USED IN THE HOME GARDEN.

RESISTANT WEEDS WARNING

Farmalinx DSMA 100 Herbicide is a member of the Organoarsenic group of herbicides. Farmalinx DSMA 100 is a herbicide with diverse sites of action. For weed resistance management Farmalinx DSMA 100 is a Group Z herbicide. Some naturally occurring weed biotypes resistant to Farmalinx DSMA 100 and other Group Z herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by Farmalinx DSMA 100 or other Group Z herbicides. Since the occurrence of resistant weeds is difficult to detect prior to use, Farmalinx Pty Ltd accepts no liability for any losses that may result from the failure of Farmalinx DSMA 100 to control resistant weeds.

GROUP Z HERBICIDE

PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET PLANTS

DO NOT apply under weather conditions or from spraying equipment that may cause spray to drift onto nearby susceptible plants, adjacent cropping lands or pastures.

PROTECTION OF LIVESTOCK

DO NOT feed treated grass clippings from treated areas to poultry or other animals.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Dangerous to fish. DO NOT contaminate streams, rivers or watercourses with the chemical or used containers.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Store in a locked room or place away from children, animals, food, feedstuffs, seed and fertilisers.

Triple rinse container before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a

disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, State or Territory government regulations. DO NOT burn empty container or product.

SAFETY DIRECTIONS

Poisonous if absorbed by skin contact or swallowed. May irritate the eyes and skin. Avoid contact with eyes and skin. When preparing spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist, a washable hat and rubber gloves. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.

FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre (Phone Australia 13 11 26), New Zealand 0800 764 766.

SAFETY DATA SHEET

Additional information is listed in the safety data sheet (SDS). A safety data sheet for Farmalinx DSMA 100 Herbicide is available from Farmalinx Pty Ltd on request. Call Customer Service on 02 9389 2455.

CONDITIONS OF SALE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. No warranty (other than non-excludable statutory warranties) of merchantability or fitness for a particular purpose, express or implied, extends to the use of product contrary to label instructions, or under off-label permits not endorsed by Farmalinx Pty Ltd or under abnormal conditions. Farmalinx Pty Ltd accepts no liability for any loss or damage arising from incorrect storage, handling or use.



10L

	IN A TRANSPORT EMERGENCY DIAL 000 POLICE OR FIRE BRIGADE
	SPECIALIST ADVICE IN AN EMERGENCY ONLY 0417 653 654 ALL HOURS – AUSTRALIA WIDE

Batch No.

Date of Manufacture

APVMA Approval No.: 88844/122662

farmalinx
Partners in Agriculture