



DANGEROUS POISON

KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

FARMALINX

Bifentin 400 EC

INSECTICIDE

ACTIVE CONSTITUENT: 400 g/L BIFENTHRIN

SOLVENTS: 491 g/L LIQUID HYDROCARBONS

100 g/L N-METHYL-2-PYRROLIDONE

GROUP **3A** INSECTICIDE

For control of urban pests in external areas and surrounds of domestic, commercial, public and industrial buildings and structures as specified in the Directions for Use Table.

IMPORTANT: READ THE ATTACHED LEAFLET BEFORE OPENING OR USING.

farmalinx *Partners in Agriculture*

FARMALINX Pty Ltd ABN 95 134 353 245
Suite 2506, Level 25, Tower 2, 101 Grafton Street, Bondi Junction NSW 2022
T: 02 9389 2455 F: 02 9389 2844 W: www.farmalinx.com

CONTENTS
5 Litres





FARMALINX

Bifentin 400 EC

INSECTICIDE

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Store in a locked room or place away from children, animals, food, feedstuffs, seed and fertilisers.

In case of spillage, confine and absorb spilled product with absorbent material such as sand, clay or cat litter. Dispose of waste as indicated below or according to the Australian Standard AS2507 - Storage and Handling of Pesticides. Do NOT allow spilled product to enter sewers, drains, creeks or any other waterways.

Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of diluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

SAFETY DIRECTIONS

Poisonous if swallowed. Will damage the eyes and will irritate the skin. Avoid contact with eyes and skin. Repeated exposure may cause allergic disorders. DO NOT inhale vapour or spray mist. When opening the container and preparing spray, wear cotton overalls buttoned to the neck and wrist, a washable hat, elbow-length chemical resistant gloves, face shield or goggles and chemical resistant footwear. When using prepared spray, wear cotton overalls buttoned to the neck and wrist, a washable hat, elbow-length chemical resistant gloves, face shield or goggles and chemical resistant footwear. When using in enclosed areas, wear cotton overalls buttoned to the neck and wrist, a washable hat, elbow-length chemical resistant gloves, face shield or goggles and chemical resistant footwear and half-face respirator with the combined dust and gas cartridge. If clothing becomes contaminated with product or wet with spray, remove clothing immediately. If product or spray on skin, immediately wash area with soap and water. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. Thoroughly ventilate treated areas before reoccupying. After each day's use, wash gloves, face shield or goggles, respirator (if rubber wash with detergent and warm water) and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26. If swallowed do not induce vomiting. Give a glass of water. If in eyes wash out immediately with water.

Toxic if inhaled.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

May cause respiratory irritation.

Suspected of causing cancer.

Do not handle until all safety precautions have been read and understood.

If exposed or concerned: Get medical attention.

May damage fertility or the unborn child.

SDS

Additional information is listed in the safety data sheet (SDS). A safety data sheet for FARMALINX BIFENTIN 400 EC Insecticide is available from FARMALINX Pty Ltd on request. Call Customer Service on 02 9389 2455.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. No warranty (other than non-excludable statutory warranties) of merchantability or fitness for a particular purpose, express or implied, extends to the use of product contrary to label instructions, or under off-label permits not endorsed by Farmalinx Pty Ltd or under abnormal conditions. Farmalinx Pty Ltd accepts no liability for any loss or damage arising from incorrect storage, handling or use.



IN A TRANSPORT
EMERGENCY
DIAL 000
POLICE OR FIRE BRIGADE

SPECIALIST ADVICE IN AN EMERGENCY ONLY

0408 600 295

ALL HOURS – AUSTRALIA WIDE



Batch No.

Date of Manufacture

farmalinx
Partners in Agriculture