POISON KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING

FARMALINX

Bromoxapac

HERBICIDE

ACTIVE CONSTITUENTS: 200 g/L BROMOXYNIL present as the n-octanoyl ester 200 g/L MCPA present as the ethyl hexyl ester SOLVENT: 343 g/L LIQUID HYDROCARBON



For the control of weeds in wheat, oats, barley, cereal rye, triticale, linseed, grass pastures and turf as specified in the Directions for Use Table.

IMPORTANT: READ THE ATTACHED LEAFLET BEFORE OPENING OR USING THIS PRODUCT



 FARMALINX Pty Ltd
 ABN 95 134 353 245

 Level 25, Suite 2506, Tower 2, 101 Grafton Street, Bondi Junction NSW 2022

 T: 02 9389 2455
 F: 02 9389 2844
 W: www.farmalinx.com

CONTENTS 10 L

FARMALINX

Bromoxapac

HERBICIDE

STORAGE AND DISPOSAL

KEEP OUT OF REACH OF CHILDREN. Store in closed original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers or product.

Refillable containers

Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

SAFETY DIRECTIONS

Product is poisonous if inhaled or swallowed. Attacks the eyes and will irritate the skin. Avoid contact with eyes and skin. DO NOT inhale spray mist. When preparing the spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist, a washable hat and elbow-length PVC gloves and face shield or goggles. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre. Phone Australia 13 11 26. If swallowed, do NOT induce vomiting. Give a glass of water.

MATERIAL SAFETY DATA SHEET

Additional information is listed in the material safety data sheet (MSDS). A material safety data sheet for Farmalinx BROMOXAPAC Herbicide is available from FARMALINX Pty Ltd on request. Call Customer Service on 02 9389 2455.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. No warranty (other than nonexcludable statutory warranties) of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions, or under off-label permits not endorsed by FARMALINX Pty Ltd or under abnormal conditions. FARMALINX Pty Ltd accepts no liability for any loss or damage arising from incorrect storage, handling or use.



EMERGENCY **DIAL 000** POLICE OR FIRE BRIGADE

IN A TRANSPORT

SPECIALIST ADVICE IN AN EMERGENCY ONLY **0408 600 295** ALL HOURS – AUSTRALIA WIDE



Batch No.

Date of Manufacture

