



POISON

KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

FARMALINX

Captan 900WG

FUNGICIDE

ACTIVE CONSTITUENT: 900 g/kg CAPTAN

GROUP **M4** FUNGICIDE

*For the control of certain diseases in a range of fruit crops,
turf and ornamentals as shown under Directions for Use.*

IMPORTANT: READ THE ATTACHED LEAFLET BEFORE OPENING OR USING

farmalinx *Partners in Agriculture*

FARMALINX Pty Ltd ABN 95 134 353 245
Suite 2506, Level 25, Tower 2, 101 Grafton Street, Bondi Junction NSW 2022
T: 02 9389 2455 F: 02 9389 2844 W: www.farmalinx.com

NET CONTENTS
10 kg



FARMALINX

Captan 900WG

FUNGICIDE

**UN No. 3077
ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, SOLID, N.O.S.
(CONTAINS CAPTAN)
MARINE POLLUTANT
PACKAGING GROUP: III
HAZCHEM CODE: 2<Z>**



IN A TRANSPORT EMERGENCY
DIAL 000

POLICE OR FIRE BRIGADE

SPECIALIST ADVICE IN AN EMERGENCY ONLY

0408 600 295

ALL HOURS – AUSTRALIA WIDE



STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. Store in a locked room or place away from children, animals, food, feedstuffs, seed and fertilisers. Avoid preparation of excess spray, but if necessary, spray out excess mixed spray or dispose of in a soil pit which does not drain into waterways or ponds. Degradation of excess material may be hastened by making solutions alkaline with lime or washing soda. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulation. DO NOT burn empty containers and product.

SAFETY DIRECTIONS

Harmful if inhaled or swallowed. Will damage eyes. May irritate the skin, nose and throat. Avoid contact with eyes and skin. If product or spray in eyes, wash it out immediately with water. DO NOT inhale dust or spray mist. When opening the container, mixing and loading and preparing spray wear cotton overalls buttoned to the neck and wrist [or equivalent clothing], elbow-length PVC/nitrile gloves and face shield or goggles. When using the prepared spray wear cotton overalls buttoned to the neck and wrist [or equivalent clothing] and elbow-length rubber gloves. Repeated exposure may cause allergic disorders. Sensitive workers should use protective clothing. Wash hands after use after each day's use, wash gloves, goggles and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126.

MATERIAL SAFETY DATA SHEET: Additional information is listed in the material safety data sheet (MSDS). A material safety data sheet for FARMALINX Captan 900WG Fungicide is available from FARMALINX Pty Ltd on request. Call Customer Service on 02 9389 2455.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. No warranty (other than non-excludable statutory warranties) of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions, or under off-label permits not endorsed by FARMALINX Pty Ltd or under abnormal conditions. FARMALINX Pty Ltd accepts no liability for any loss or damage arising from incorrect storage, handling or use.

Batch No.

Date of Manufacture

APVMA Approval No.: 68373/58246

farmalinx
Partners in Agriculture