

FARMALINX

# Foset 800 WG Turf

FUNGICIDE

## DIRECTIONS FOR USE

### Restraints

DO NOT use as an alternative to steam sterilisation of potting soils used in nurseries.

SITUATION	DISEASE	RATE	CRITICAL COMMENTS
Ornamentals	Crown and Root Rot ( <i>Phytophthora</i> spp.)	90 g/100 L water (10 g/m <sup>2</sup> )	Apply as a soil drench at intervals of 6 weeks. Container grown plants: Drench volume depends on size. For 150 mm container apply 200 mL.
Turf (golf and bowling greens and other intensely managed Turf)	<i>Pythium</i> spp.	125 g/100 m <sup>2</sup>	Begin preventative applications when conditions first favour disease and continue as long as conditions are favourable for disease at approximately 21 day intervals. Apply as a foliar spray. DO NOT mow or water treated area until foliage is completely dry.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION**

## GENERAL INSTRUCTIONS

### FUNGICIDE RESISTANCE WARNING

Farmalinx FOSET 800 WG TURF Fungicide is a member of the **GROUP 33 FUNGICIDE** Phosphonates group of fungicides. For fungicide resistance management Farmalinx FOSET 800 WG TURF Fungicide is a Group 33 Fungicide. Some naturally occurring fungi resistant to Farmalinx FOSET 800 WG TURF Fungicide or any other Group 33 Fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungi population if these fungicides are used repeatedly. The resistant fungi will not be controlled by Farmalinx FOSET 800 WG TURF Fungicide or other Group 33 Fungicides, thus resulting in a reduction in efficacy and possible yield loss. Since the occurrence of resistant fungi is difficult to detect prior to use, Farmalinx Pty Ltd accepts no liability for any losses that may result from the failure of Farmalinx FOSET 800 WG TURF Fungicide to control resistant fungi.

### MIXING

Fill the spray tank to at least half the desired amount with clean water and commence agitation. Add the required quantity of Farmalinx FOSET 800 WG TURF Fungicide directly to the water and complete filling to the final volume. Continue agitation. DO NOT make a slurry or paste prior to adding to the tank.

### APPLICATION

**Turf** only - Apply 5 L to 20 L of water per 100 m<sup>2</sup>.

### CROP SAFETY Ornamentals

Farmalinx FOSET 800 WG TURF Fungicide has been used on a wide range of ornamental plant species without damage. However, some species and varieties are particularly sensitive to chemical products. It is advisable to treat only a small number of plants first, in order to determine their reaction to the product, before large scale use.

### COMPATIBILITY

Farmalinx FOSET 800 WG TURF Fungicide is compatible with a number of fungicides. If unsure, it is recommended that a Jar test be conducted to determine compatibility. Always add Farmalinx FOSET 800 WG TURF Fungicide to the mixture last.

With any mixture, constantly agitate prior to and during application. It is not recommended to mix this product with more than one additional pesticide in the tank. Always test mixtures on a small number of plants before large scale use. As formulations of other manufacturers products are beyond the control of Farmalinx Pty Ltd, all mixtures should be tested prior to mixing commercial quantities.

### PROTECTION OF LIVESTOCK

DO NOT graze treated turf or lawn; or feed turf or lawn clippings from any treated area to poultry or livestock.

### PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Dangerous to fish. DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

### STORAGE AND DISPOSAL

KEEP OUT OF REACH OF CHILDREN. Store in closed original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers or product.

### SAFETY DIRECTIONS

May irritate the eyes and skin. Avoid contact with eyes and skin. Avoid inhaling dust or spray mist. Wash hands after use.

### FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

### SDS

Additional information is listed in the safety data sheet (SDS). A safety data sheet for Farmalinx FOSET 800 WG TURF Fungicide is available from FARMALINX Pty Ltd on request. Call Customer Service on 02 9389 2455.

### CONDITIONS OF SALE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. No warranty (other than non-excludable statutory warranties) of merchantability or fitness for a particular purpose, express or implied, extends to the use of product contrary to label instructions, or under off-label permits not endorsed by Farmalinx Pty Ltd or under abnormal conditions. FARMALINX Pty Ltd accepts no liability for any loss or damage arising from incorrect storage, handling or use.

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

**Foset 800 WG Turf**

FARMALINX

FUNGICIDE

ACTIVE CONSTITUENT: 800 g/kg FOSETYL-ALUMINIUM

GROUP 33 FUNGICIDE

*For the prevention and control of *Phytophthora* rots in ornamentals and *Pythium* in turf as specified in the Direction for Use.*

IMPORTANT: THIS LEAFLET IS PART OF THE LABEL ATTACHED TO THE CONTAINER. READ THOROUGHLY BEFORE OPENING OR USING THIS PRODUCT.

FARMALINX Pty Ltd ABN 95 134 353 245  
Level 25, Suite 2506, Tower 2, 101 Grafton Street,  
Bondi Junction NSW 2022

**farmalinx**

**farmalinx**  
*Partners in Agriculture*

FARMALINX Pty Ltd ABN 95 134 353 245  
Level 25, Suite 2506, Tower 2,  
101 Grafton Street, Bondi Junction NSW 2022  
T: 02 9389 2455 F: 02 9389 2844  
Website: www.farmalinx.com

APVMA Approval NO.: 80220/100423