

# DANGEROUS POISON

KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

CAN KILL IF SWALLOWED

DO NOT PUT IN DRINK BOTTLES

KEEP LOCKED UP

FARMALINX

# Paradat

## HERBICIDE

ACTIVE CONSTITUENTS: 135 g/L PARAQUAT PRESENT AS PARAQUAT DICHLORIDE  
115 g/L DIQUAT PRESENT AS DIQUAT DIBROMIDE

GROUP

L

HERBICIDE

*For the control of a wide range of grasses and broadleaf weeds.  
Can be utilised in crop establishment programs.  
Contains non-ionic wetter.*

IMPORTANT: READ THE ATTACHED LEAFLET BEFORE OPENING OR USING

**farmalinx** *Partners in Agriculture*

FARMALINX Pty Ltd ABN 95 134 353 245  
Level 25, Suite 2506, Tower 2, 101 Grafton Street, Bondi Junction NSW 2022  
T: 02 9389 2455 F: 02 9389 2844 W: [www.farmalinx.com](http://www.farmalinx.com)

CONTENTS  
**20 Litres**

FARMALINX

# Paradat

**HERBICIDE****FOR USE ONLY AS AN AGRICULTURAL HERBICIDE. THIS PRODUCT IS TOO HAZARDOUS TO BE USED IN THE HOME GARDEN.****STORAGE AND DISPOSAL**

Store in the closed, original container in a dry, cool, well-ventilated locked room or area away out of direct sunlight, away from children, animals food, feedstuffs, seed and fertilisers. DO NOT store for prolonged periods in direct sunlight.

**For Non-Refillable Containers:** Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or a designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

**For Refillable Containers:** Storage must be secure so that contents cannot be tampered with. All locks and/or seals must be in order. If locks or seals are broken prior to initial use then the integrity of this product cannot be assured. If this occurs FARMALINX Pty Ltd should be advised immediately. Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

**SAFETY DIRECTIONS**

Very dangerous, particularly the concentrate. Product is poisonous if absorbed by skin contact, inhaled or swallowed. Will irritate the eyes, nose, throat and skin. Attacks eyes. Protect eyes while using. Avoid contact with eyes, skin and clothing. DO NOT inhale spray mist. When opening the container, preparing product for use and using the prepared spray, wear cotton overalls buttoned to the neck and wrist, a washable hat, face shield or goggles, half facepiece respirator or disposable respirator and elbow length PVC gloves. If clothing becomes contaminated with product, or wet with spray, remove contaminated clothing immediately. If product on skin, immediately wash area with soap and water. If product in eyes wash it out immediately with water. Avoid contact with spray mist. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, respirator and if rubber, wash with detergent and warm water, face shield or goggles and contaminated clothing.

**SPRAY APPLICATION**

DO NOT work in spray mist. DO NOT continue to use if skin irritation or nosebleed occurs. This may be caused by exposure to spray mist as the result of incorrect use of equipment or adverse climatic conditions. Stop and review handling and spraying techniques before further spraying. If symptoms persist, seek medical advice. When there is a risk of exposure to spray mist wear waterproof footwear and waterproof protective clothing, impervious gauntlet length gloves (rubber or PVC), goggles and a face mask and respirator covering nose and mouth and capable of filtering spray droplets. A high efficiency type particulate respirator is recommended, but in any event use a respirator, which complies with the requirement of AS1716 (Standards Association of Australia). Further advice on safety equipment should be obtained from a safety equipment manufacturer. Avoid contacting vegetation wet with spray, but if necessary to do so, wear waterproof footwear and waterproof protective clothing and gloves.

**FIRST AID**

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26. Get to a doctor or hospital quickly. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

**Note to Physicians:** For additional advice on the treatment of Parquat poisoning please consult the booklet "The Treatment of Parquat Poisoning: A Guide for Doctors" (available from FARMALINX Pty Ltd).

**MATERIAL SAFETY DATA SHEET**

Additional information is listed in the material safety data sheet (MSDS). A material safety data sheet for FARMALINX Paradat Herbicide is available from FARMALINX Pty Ltd on request. Call Customer Service on 02 9389 2455.

**NOTICE:** Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. No warranty (other than non-excludable statutory warranties) of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions, or under off-label permits not endorsed by FARMALINX Pty Ltd or under abnormal conditions. FARMALINX Pty Ltd accepts no liability for any loss or damage arising from incorrect storage, handling or use.

**TOXIC****6**

**UN NO. 3016  
BIPYRIDILUM PESTICIDES  
LIQUID, TOXIC, N.O.S.  
(CONTAINS  
PARAQUAT & DIQUAT)  
PACKAGING GROUP III  
HAZCHEM CODE 2X**

APVMA Approval No.: 64325/10-1000L/0809



**IN A TRANSPORT  
EMERGENCY  
DIAL 000  
POLICE OR FIRE BRIGADE**

**SPECIALIST ADVICE IN AN EMERGENCY ONLY****0408 600 295****ALL HOURS – AUSTRALIA WIDE**

9 343713 1000785

Batch No.

Date of Manufacture

**farmalinx**

*Partners in Agriculture*