

DIRECTIONS FOR USE IN ALL STATES

RESTRAINTS

Eliminate, as far as is practicable, all alternative food sources.

DO NOT exceed 3 metres between baits for mice, or 9 metres for rats.

DO NOT place baits in open.

DO NOT apply baits to crops.

SITUATION	PEST	RATE	CRITICAL COMMENTS
Apply where pests occur, e.g. food processing factories, or stores, laundries, restaurants, ships, boiler houses, hotels-motels.	Rats	2 or more blocks per bait station	Rats require large quantities of blocks in one or two locations.
	Mice	2 or more blocks per infested area	Mice require several bait stations.
			Blocks should be separated before use. Place in sheltered positions near rodent entry points and other areas of rodent activity. Inspect blocks regularly and ensure sufficient are always available. For effective control, remove alternative food sources and continue to bait until feeding ceases. Set out baits in places frequented by mice and rats but not more than 2m away from buildings

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS

FARMALINX RoDi Wax Blocks are particularly useful in areas where baits deteriorate rapidly, such as damp areas, sub-floors, roof voids and out-houses. The hole in the centre of the block will allow pinning or tying in positions off the ground in very moist areas, or where rodents are climbing. The blocks may be used in conjunction with pellet treatments. DO NOT place blocks on or near exposed food or food utensils, food preparation areas or food storage areas.

PROTECTION OF LIVESTOCK, WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate ponds, waterways or drains with chemical or used containers. The bait is hazardous to dogs, cats, pigs, poultry and other wildlife. DO NOT place baits in locations which are accessible to pets, domestic animals, livestock birds or non-target wildlife. This product is restricted to use in and around buildings (within 2 metres) or enclosed spaces. Symptoms may be undetectable in dogs for at least a week after taking the bait – if you suspect a dog has consumed the bait consult your vet immediately for treatment. DO NOT feed blocks to wild or domestic birds. DO NOT apply blocks to crops. Collect unused blocks and carcasses.

STORAGE AND DISPOSAL

DO NOT use containers which have held bait for any other purpose. Store in the closed original container in a dry, cool, well-ventilated area, out of direct sunlight. Dispose of used containers and unused blocks by burying in an approved landfill. Dispose of all rodent carcasses by burning or burying in an approved landfill.

SAFETY DIRECTIONS

Poisonous if swallowed. DO NOT inhale dust. DO NOT touch bait. Use scoop or measure. If on skin and after each baiting, wash thoroughly with soap and water. Vitamin K (Phytomenadione) is antidotal.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126 or New Zealand 0800 764 766. Vitamin K1 (Phytomenadione) is antidotal.

NOTE TO PHYSICIANS AND VETERINARIANS:

Brodifacoum is a long lasting anticoagulant chemical which if ingested by humans, domestic animals or pets, can reduce the clotting power of the blood and haemorrhage may result. Vitamin K1 (Phytomenadione) should be administered urgently by medical, appropriate para-medical personnel or veterinarians. If administered intravenously the injection must be given slowly.

MSDS

Additional information is listed in the material safety data sheet (MSDS). A material safety data sheet for FARMALINX RoDi Wax Blocks is available from FARMALINX Pty Ltd on request. Call Customer Service on 02 9389 2455.

NOTICE TO BUYER:

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. No warranty (other than non-excludable statutory warranties) of merchantability or fitness for a particular purpose, express or implied, extends to the use of product contrary to label instructions, or under off-label permits not endorsed by Farmalinx Pty Ltd or under abnormal conditions. FARMALINX Pty Ltd accepts no liability for any loss or damage arising from incorrect storage, handling or use.

farmalinx
Partners in Agriculture

FARMALINX Pty Ltd ABN 95 134 353 245

Level 25, Suite 2506, Tower 2,

101 Grafton Street, Bondi Junction NSW 2022

T: 02 9389 2455 F: 02 9389 2844

Website: www.farmalinx.com

APVMA Approval No.: 69942/62105

POISON

KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

FARMALINX

RODi

WAX BLOCKS

ACTIVE CONSTITUENT: 0.05 g/kg BRODIFACOUM

For the control of rats and mice, including those resistant to other anticoagulants, in and around industrial, commercial, public services and domestic buildings.

IMPORTANT: THIS LEAFLET IS PART OF THE LABEL ATTACHED TO THE CONTAINER. READ THOROUGHLY BEFORE OPENING OR USING THIS PRODUCT.

FARMALINX Pty Ltd ABN 95 134 353 245
Level 25, Suite 2506, Tower 2, 101 Grafton Street,
Bondi Junction NSW 2022

farmalinx