

Copyright © 2001 by Neil Wayne, Margaret Birley, and Robert Gaskins

As published in *The Free-Reed Journal*, Vol. III (2001), pp. 3-17

A Wheatstone Twelve-Sided “Edeophone” Concertina with Pre-MacCann Chromatic Duet Fingering¹

Neil Wayne, Margaret Birley, and Robert Gaskins

In November 1999, a strikingly unusual concertina came up for sale through an internet auction site.² Although it was apparently an authentic Wheatstone & Co. product, with a serial number (#35074) that would place its production date in 1938, everything about it was unlike any other 1938 Wheatstone concertina. Its shape was twelve-sided, the shape of a Lachenal Edeophone. And though it obviously used some sort of chromatic duet fingering system, each end had seven columns of studs--not the six columns of a MacCann duet, the five of a Crane (or Triumph) duet, or the curved arcs of a Jeffries duet. What was this? Why would Wheatstone & Co. have manufactured a concertina in the late 1930s in the shape associated with its traditional rival? And with a completely unfamiliar duet fingering system? Was it even a Wheatstone instrument?

¹ We are deeply indebted to Steve Dickinson, proprietor of the current C. Wheatstone & Co., for providing essential information and interpretation. David Allen, the Librarian of the Horniman Museum, and his staff provided much-appreciated help with our access to the Wayne Archives and Dickinson Archives at the Horniman Museum Library.

² “Bass Concertina Wheatstone, London ca. 1920,” eBay auction item #200337495, ended 24 November 1999, 08:20:55 PST, sold by “tetra-b, Sarasota, Florida” (Andrea Bruderlin, www.music-treasures.com). The only information available about the provenance of the instrument was that it had been bought in England about fifteen years earlier and since then held for sale, first in Canada and then in Florida.

The instrument was bought and presented to the Horniman Museum in London, where it joined a large collection of historic concertinas, and where we have been able to study the instrument further.³ We have since learned that in the mid-1930s Wheatstone & Co. possessed its own tooling and equipment to make twelve-sided concertinas. We have consulted the Wheatstone production ledgers to learn that at least sixteen such instruments were made during the years 1934-1941. We have further established that the fingering system of this instrument is a pre-MacCann duet system for which the only other known appearance is that in a William Wheatstone patent of 1861. Finally, some features of the instrument may even have influenced Wheatstone & Co.'s "Chidley-system" duets made in the 1950s. What we do not know, however, is why or for whom Wheatstone #35074 might have been made.

Wheatstone History

The history of Wheatstone & Co. relevant to this instrument may be briefly summed up as follows.⁴ The concertina had been invented as early as 1829-30 by Charles Wheatstone, while he and his brother William were carrying on the family trade of musical instrument sales and manufacture in London. They made concertinas for sale from the early 1830s, and introduced further improvements, some documented in British patents No. 10041 of 1844 (C. Wheatstone) and No. 2289 of 1861 (Wm. Wheatstone). As the business grew, the Wheatstones employed workmen and suppliers, several of whom later left to start competing companies; one of these, the Swiss emigré Louis Lachenal, first rose to become manager of their concertina manufactory and then left to make concertinas under his own name and to become Wheatstone's chief competitor.⁵ After the deaths of the Wheatstone brothers, management devolved upon the Chidley brothers, Rock and Edward, and after their deaths the company was acquired by a subsidiary of Boosey & Hawkes.

³ Wheatstone #35074 is catalogued at the Horniman Museum under accession number 2000.87.1. The instrument will be included in a display celebrating the work of Charles Wheatstone, whose bicentenary coincides with the inaugural year of a new temporary exhibition of the museum's musical instruments, scheduled to run from the late summer of 2002 to 2006. The history of Wheatstone's concertina from the 1830s to the middle of the twentieth century will be chronicled with an array of about sixty free-reed instruments, including some of his earliest models and prototypes. Most of these instruments were formerly in the collection of Neil Wayne, which was purchased by the Horniman Museum in 1996, with generous assistance from the Heritage Lottery Fund. The exhibition will also include some of the scientific instruments invented by Wheatstone, with an emphasis on prototypes utilizing concertina-related technology. A check-list of many of the instruments in the collection of the Horniman Museum, together with some thumb-nail images of the instruments, is available on the Horniman Museum's website, www.horniman.ac.uk.

⁴ This account is summarized from Neil Wayne, "The Wheatstone English Concertina," *The Galpin Society Journal* 44 (1991): 117-49. A copy is available on the web at www.free-reed.co.uk.

⁵ Stephen Chambers, "Louis Lachenal: 'Engineer and Concertina Manufacturer', Pt. I," *The Free-Reed Journal* 1 (1999): 7-18.

Although there were also a number of smaller firms, Wheatstone and Lachenal dominated the business from the 1860s, both producing “English” as well as “Anglo-German” concertinas. In 1884, a design for a duet concertina fingering system was patented (No. 4752 of 1884) by the professional concertinist “Professor” John Hill Maccann (now usually printed as “MacCann”) of Plymouth, who licensed his system to Lachenal for the fourteen-year term of the patent. This was the first successful duet system, and after 1898 Wheatstone competed with Lachenal in producing a full line of MacCann-system duet instruments. Around 1890 Lachenal had begun producing a professional-quality, all-black concertina called the “Edeophone,” distinguished by its design of twelve sides rather than the conventional six sides. Wheatstone responded circa 1894 with the “Æola,” also all black or in a variety of luxurious and exotic materials, and (by 1901) distinguished by having eight sides. “Æolas” (eight-sided) and “Edeophones” (twelve-sided) became the standard professional instruments from that time onward.

Business was adequate for both Wheatstone and Lachenal until the early 1930s, when sales of all concertinas declined. The two firms, once keen rivals, now began to cooperate. Since much concertina making was done by tuners and other craftsmen working at home on a piecework basis, craftsmen could work for both firms, and did so. Yet despite this cooperation, the weaker firm of Lachenal closed in 1935, its machinery and stocks bought up by Wheatstone & Co. As Tommy Williams, then employed by Lachenal as a tuner, recalled when everything from Lachenal’s was being taken around to Wheatstone’s: “They took barrow loads of unfinished work, they’d come into it alright.”⁶

Wheatstone’s business strengthened till the beginning of the war in 1939. A brief synopsis by Henry (“Harry”) Minting, the last manager of the old Wheatstone & Co., records that “During the 1939/45 war, manufacture of all musical instruments was restricted and the players of concertinas had to be content with their old ‘tina’ or try to purchase a second hand model. The war years also robbed Wheatstones of some of their craftsmen, and it was not until about 1949 that the Wheatstone concertina was being made as before the war.”⁷

Wheatstone's post-war production featured both the “May Fair” concertina (a budget range of English and Anglo concertinas) and duet concertinas made with a new “uniform” keyboard layout invented by Kenneth V. Chidley. All these instruments were inferior in quality to pre-war production, and were ultimately unsuccessful. Finally, in 1961, the firm moved to a small corner of the large Boosey & Hawkes instrument factory at “Sonorous Works,” Edgware, where a very limited production of new instruments was maintained.

⁶ Neil Wayne, “The Tommy Williams Story, Pt. 3,” *The Concertina Newsletter* 7 (August 1972): 10-12.

⁷ Henry Minting, “The House of Wheatstone 1750-1950,” unpublished manuscript (2 pp.), Horniman Museum Library, Wayne Archives, item no. C1065.

An overview of the Wheatstone concertina business during this period can be gained by a decade-by-decade look at the average number of instruments produced per year⁸

Period	Average Instruments Per Year
mid-1910 through 1919	345
1920 through 1929	400
1930 through 1939	412
1940 through 1949	221
1950 through 1959	638
1960 through 1969	126
1970 through 1974	33

In December 1975, the remaining plant machinery, material stocks, and trading name were sold off to Steve Dickinson, who reconstituted the independent C. Wheatstone & Co. and resumed manufacturing traditional concertinas of high quality.

⁸ Wheatstone & Co. concertina production ledgers, Horniman Museum Library, London. Four ledgers listing concertinas produced from mid-1910 through 1974 (but omitting Anglos made between 1938 and 1953) are part of the Dickinson Archives. These ledgers include all serial numbers from 25000 through 37083 and 55492 through 59498. There are other Wheatstone & Co. records at the Horniman Museum, including lists of sales and other transactions from about 1840 to about 1870, notes of payments to employees and suppliers for the late 1840s, and production ledgers from the mid-1860s to the end of 1891. Eleven such ledgers were saved by Henry Minting in the 1950s and form part of the Wayne Archives, items C1046 through C1056. For the earlier ledgers, see also Allan W. Atlas, "Who Bought Concertinas in the Winter of 1851? A Glimpse at the Sales Accounts of Wheatstone & Co.," in *Nineteenth-Century British Music Studies* 1, ed. Bennett Zon (Aldershot: Ashgate, 1999), 55-87. Plans are currently being made to scan all these original records and to post digital images on the Horniman Museum website, www.horniman.ac.uk.

Description of Wheatstone Concertina #35074

The unusual Wheatstone #35074 was received from the seller within an apparently original square, hide case labeled with Wheatstone & Co.'s address in West Street (as current from 1897). Figure 1 is a photograph showing the right side of the concertina.



Fig. 1. Wheatstone Twelve-Sided Edeophone, #35074, right side
(Photo, Horniman Museum & Gardens).

The instrument is a large twelve-sided concertina, ten inches (25.4 cm) in diameter, with raised nickel-plated metal ends having Wheatstone-pattern fretwork with red muslin (“gauze”) lining.

Labels on both ends are the typical two-riquet, scalloped-edge metal badges seen on Wheatstone instruments of the period. That on the right-hand end is embossed “Manufacturers C. Wheatstone & Co. London.” That on the left-hand end is embossed “Wheatstone” above and “Made in England” below a rectangular serial number cartouche, in which is stamped “35074.” The inset areas into which these scalloped end-labels were riveted show no trace of any alteration of a previous Lachenal-style label cartouche, nor any welding-in of a new label recess area.

The end-plates are German silver (an alloy of copper, nickel, and zinc) set into the black-stained wooden end-frames, and show areas of severe palm-wear, revealing two levels of nickel plating beneath the final plating which is of polished nickel. Similar wear is visible where fingernails would strike near almost all of the finger studs, all of which demonstrates that the instrument was played seriously for some period of time. The six screws per end (located in alternate edges) have gently-domed heads with a flattish level of countersinking.

The eight-fold leather bellows are of rough-grained black leather, in excellent condition. The instrument retains well-used original thick-hide leather hand-straps, deeply stamped with "C. Wheatstone & Co. Manufacturers London," and still with some original gilding to the lettering. The straps are secured to the hand-bars with two screws through rectangular blocks of pearl, and each has the usual nickel Wheatstone adjustment buckle to the lower end of the hand-bar.

The inner face of each action board is stamped with an inked rubber-stamp mark "Wheatstone 35074," and both the top-most inner face of each end's bellows frame and the top-most outer reed chambers of each reed-pan are stamped with an inked and impressed mark "74." It was standard Wheatstone practice to so mark the parts of each concertina with the final two digits of the instrument's serial number. The center hole of each reed-pan is markedly offset from center, and the larger, deeper reeds on the inner faces of the reed pans are noticeably inset toward the center of their pan.

Wheatstone & Co. "Edeophones"

Comments about this instrument made in internet discussion groups at the time of its sale proposed three opinions about how such a "Wheatstone Edeophone" might have come to exist: (1) that the instrument may have been completed at Lachenal's before it went out of business, then "re-badged" with Wheatstone labels for sale; (2) that the instrument had been made by Lachenal but later rebuilt by Wheatstone with ends altered to include Wheatstone labels; and (3) that the instrument was made by Wheatstone, but from Lachenal parts acquired at the final sale. All these comments assumed that the instrument or its major parts had been in those barrows that Tommy Williams so picturesquely recalled as having been taken around to Wheatstone's.

Yet all these theories were proved to be untrue when Steve Dickinson carried out a detailed examination of the instrument at the workshops of the current C. Wheatstone & Co. Mr. Dickinson still has concertina-making tools, jigs, and machinery from the Wheatstone workshops of the middle and late 1930s (and earlier) which he acquired with the company. His knowledge of these, gained in part in the 1970s from Sid Watkins, the last surviving Wheatstone craftsman from the pre-war period, indicates that the entire instrument was made within the Wheatstone workshops.

The historic Wheatstone jigs still in use enable six-, eight- (Æola), and twelve-sided (Edeophone) concertina ends and action boards to be constructed on a single set of tools. The action board and reed-pan routing tools have three clearly-numbered settings on the jig, for six-, eight-, and twelve-sided instruments. Moreover, an examination of the reed-frame fly-press tools used for 1930s Wheatstone reeds shows that they were the same tools used to make the reeds for Wheatstone #35074.

Mr. Dickinson further observes that (1) the inked rubber-stamped "Wheatstone 35074" on the action-boards was created with a rubber stamp still in his workshop equipment collection; (2) the grainy leather bellows are undoubtedly Wheatstone, being of the poor quality that the firm was limited to in the late 1930s; (3) the inset metal ends are turned over and screwed under the rim of the end-frames, exactly as in standard Wheatstone practice; and (4) the red muslin lining is not only of Wheatstone origin, but original stocks of it are still available for current production.⁹

Information from the Concertina Production Ledgers

To confirm the date of manufacture, we consulted the concertina production ledgers from the old Wheatstone & Co., these now preserved at the Horniman Museum.¹⁰

20-4-38	18	E	50	26-7-38	35070
13-7-38	4	ROSE	48 Reeds	6-8-38	41
					42
					43
22-8-38	40 Spl	Turned in metal NP 42 Reeds 10" Edges		26-8-38	44
15-8-38	76	E	50 Reeds 7 1/2 Edges	22-8-38	45
3-8-38	38	N	8 1/2 62 Reeds	10-8-38	46
3-8-38	4B	E	Bright Polish 48 Reeds 65g	5-8-38	47
3-8-38	49	E	See - 35881 55 Reeds	4-8-38	48
10-8-38	34	R	46 Reeds	11-8-38	49
22-8-38	43	E	48 Reeds	24-8-38	50

Fig. 2. Wheatstone production ledger entry for concertina #35074
(Photo, Horniman Museum & Gardens).

⁹ All information from Steve Dickinson of Wheatstone & Co., interview January 2000. The Wheatstone & Co. website is www.wheatstone.co.uk. Additional photographs of Wheatstone #35074 are available on the web at www.maccann-duet.com.

¹⁰ Wheatstone & Co. concertina production ledgers, Horniman Museum Library, London. Photographs of all the ledger entries mentioned in this article are available on the web at www.maccann-duet.com.

The entry for this instrument is shown in Figure 2. It reads:

22.8.38 40Spl NP Turned in Metals 72 keys 10" Edeo 26.8.38 35074

This means that work on the instrument commenced on August 22nd, 1938. It is a model 40 "Special," with Nickel-Plated metal ends made in the Wheatstone turned-in style (as opposed to "screwed-on metals" [#34756] or "capped metals" [#34523]). It has seventy-two keys (including the air valve), measures ten inches across, and is of "Edeo" shape. The instrument was completed on August 26th, 1938, with the serial number 35074. The fingering system is noted only in the model number; the ordinary model 40 is a superior-quality seventy-two-key MacCann duet, and "Spl" must be intended to refer to the unique fingering arrangement.

To our surprise, another instrument #35075, whose entry can be seen on the very next line of Figure 2, was also marked "Edeo." In fact, there are fourteen more twelve-sided Wheatstone concertinas recorded in the production ledgers. The earliest are a set of three, and then another similar instrument five months later:

July 9 [34]	62	E Bright 40 keys 12 side's Gauze	July 18 [34]	33301
July 9 [34]	62	E Bright 40 keys 12 side's Gauze	July 18 [34]	33302
July 9 [34]	62	E Bright 40 keys 12 side's Gauze	July 18 [34]	33303
14.12.34	62	E Bright 12 sides 40 keys G[auze]	22.12.34	33527

These are Anglo concertinas in ebony (bright polish) with forty keys, and have the notation "12 sides". Note that all four date from before Lachenal was absorbed in 1935.

Next, two years later, are a pair of forty-eight-key ebony English concertinas from March 1936, and then three single instruments, two ebony Crane duets and another ebony English. The first pair have the notation "12 sides" and also "Edeo," but the next three are just "Edeo":

26.3.36	17	E 12 sides 48 keys Edeo	22 4 36	34067
26.3.36	17	E 12 sides 48 keys Edeo	30 4 36	34068
13.5.36	76	E 7 1/2 Edeo 50 keys (Hobart Polish)	15.5.36	34111
17.11.36	77	E 8 Edeo 55 keys	4.12.36	34317
1.11.37	17	E 48 keys Edeo		34808

Thus the name "Edeo" appears in the ledgers only after Lachenal had been absorbed (1935).

Then comes our #35074 in Nickel Plate, the only instrument with metal ends and the only one with its "Special" duet fingering, and a second instrument, an ebony Crane duet, made just a few days earlier:

22.8.38	40Spl	NP Turned in Metals 72 keys 10" Edeo	26.8.38	35074
15.8.38	76	E 50 keys 7 1/2 Edeo	22.8.38	35075

Then there is one more instrument a year later, just before the war, and finally four instruments made during the war, all of them ebony Crane duets:

18.7.39	107	77	E	Edeo	55	keys	28.7.39	35219
	307	80	E	65	Edeo	FRETS T	26.2.41	35332
	336	77	E	Edeo	55	keys FRETS T	13.6.41	35341
	378	77	E	Edeo	55	keys FRETS T	17.10.41	35351
	378	77	E	Edeo	55	keys FRETS T	17.10.41	35352

This, then, makes a total of sixteen twelve-sided Wheatstones, all made between the middle of 1934 and late 1941.¹¹

¹¹ Apart from our #35074, we know the present locations of three of these. Two of the twelve-sided Anglos made in 1934 were found in the 1970s in Cincinnati, Ohio, by Grey Larsen (<grey@greylarsen.com>). Anglo #33302, one of the set of three, is now owned by Ted McGraw of Rochester, New York (<mcgraw@netacc.net>). Mr. McGraw reports that it matches its entry, being an ebony forty-key Anglo with raised ends lined in red gauze and with eight-fold bellows, tuned in D and A. It came to him with the story that it was one of three made for a vaudeville act of three concertina-playing acrobats in Cincinnati. The other, Anglo #33527, is still owned and played by Mr. Larsen, a professional musician. He reports that it also matches its entry, being an ebony forty-key Anglo with raised ends lined in red gauze and with eight-fold bellows, also tuned in D and A, and that it has an extra set of reed-pans (with the same serial number stamped on them) holding reeds tuned in B \flat and F. (Leads to these two instruments were provided by Jim Lucas and by Daniel Hersh.) And the last made, #35352 (verified to be a twelve-sided ebony fifty-five-key Crane duet), was sold in 1997 by Richard Morse of The Button Box, Amherst, Massachusetts (www.buttonbox.com). It came to Richard Morse from Chris Algar, Barleycorn Concertinas, Stoke-on-Trent (UK) (www.concertina.co.uk), who reports that he handled still another twelve-sided Wheatstone, an English from Wolverhampton, fifteen years ago or more.

In the production ledgers, the entry below that for #34808 is left blank, with no line (to mean "same as above"), so #34809 is some sort of recording error; it could possibly be another twelve-sided English like #34808 above it (thus making a pair comparable to #34067 and #34068). Production ledgers for Anglos made between 1938 and 1953 have not been located, and additional twelve-sided Anglos might have been made in that period.

It is notable that half of all the twelve-sided instruments are very similar ebony Crane duets, suggesting that they could have been made for a single purchaser or group, perhaps a former Lachenal customer.

There are a few additional entries in the ledgers with the notation "Lachenal," but all these appear to be actual Lachenal instruments; some are identified as "old stock," others as "second-hand," with at least one having a Lachenal serial number. It is not clear whether any of these were physically marked with Wheatstone serial numbers; they may have been notionally assigned such numbers merely for accounting purposes. The earliest are #33773, #33774, and #33775, all dated 8 July 1935, all identified as "polished Amboyna," forty-eight keys, with model number "LAC" and the notation "old stock"; these may be actual Lachenal stock acquired by Wheatstone, since they date from the time when Lachenal was absorbed.

So it is clear that, well before 1938, Wheatstone had tooled up to make Edeophone-style concertinas, to their own specifications and with standard Wheatstone components, and that instrument #35074 is one example out of at least sixteen. We might reasonably expect to find more of the twelve-sided Wheatstones listed above. And perhaps the occasional stories about “re-badged Lachenals” which have circulated in concertina lore for years in fact refer to these newly-identified twelve-sided Wheatstones.

The Fingering System of Wheatstone #35074

There is another highly unusual feature of this concertina, and that is its fingering system. Figure 3 shows diagrams of the left and right sides of the instrument.¹²




Fig. 3. Keyboard diagram for Wheatstone #35074, 1938 (middle C is marked as c' on each side).

The natural notes of the C-major scale are all located in four columns, with three additional columns of sharps and flats--at the left, at the right, and in the middle (with a few non-conforming keys at the top).

As with the other features of this concertina, there is no doubt that the instrument was manufactured in its current layout. The arrangement of studs differs from a standard MacCann arrangement not only in having an extra column, but also in that the angle of offset between columns is different (in fact, different on the two sides). The metal fretwork is neatly designed around all seven columns of studs, outlining each column and stud, and was clearly designed and made for this instrument.

¹² When the instrument was offered on eBay, the seller posted a digital photograph of a handwritten keyboard chart said to have been found in the case. Anyone comparing that chart to this one should know that the handwritten chart interchanged the labels “Right” and “Left,” and showed each side rotated ninety degrees; but apart from that, it was correct.

The metal finger-studs of #35074 are of the usual Wheatstone type, domed and five millimeters in diameter. There are thirty-four on the left side, and thirty-eight (including the air valve) on the right side. On the left side, corresponding studs across the columns run straight at a uniform angle (fifteen degrees) from the hand-bar from left to right, while on the right side, they run straight and parallel to the hand-bar, both arrangements different from the less-regular MacCann-system layout of studs. They are spaced horizontally (from column to column) on approximately fourteen-millimeter centers, and spaced vertically (within a column) on approximately ten-millimeter centers.

A notable feature of #35074 is that it has more than an octave and a half of overlapping range between its two sides (the left side has d'' , a ninth above middle c' as its highest note; the right side has g below middle c' as its lowest note). Thus it stands in contrast with standard 1938-vintage Wheatstone MacCann duets, which had only an octave overlap or less, except for the very large 80-key instruments.

Duets in the Wheatstone Patent of 1861

Among the features of #35074 that caught our eye are the four columns of natural notes that are very much like the four columns of natural notes on the two sides--taken together--of an English concertina.¹³ This similarity reminded us of the duet fingering arrangements based on the English system in early Wheatstone patents.¹⁴ It was Wheatstone's 1844 patent that codified the familiar English arrangement itself, in which each end has two inner columns of natural notes flanked by two outer columns of accidentals. The natural scale alternates between the two ends, a feature intended to allow both hands to contribute to playing a scale or scale-like line. There is a sharp or flat next to every natural note, providing a total of fourteen notes per octave; in addition, the Wheatstone concertinas were from the beginning tuned in a mean-tone tuning, in which $D\sharp$ and $E\flat$ were tuned differently, as were $G\sharp$ and $A\flat$.

Among several related fingering systems, this same 1844 patent also describes an eight-column duet system variant which consists--literally--of both ends of an English placed next to each other on each end of the duet. The four columns of studs from the left and the four columns from the right were set side by side on each end, putting the natural notes in columns 2 and 3 and in columns 6 and 7, with the remaining four columns (1, 4, 5, and 8) devoted to accidentals. This seems to have been a purely theoretical extension of the basic English-system patent, and we don't know of any actual instruments built this way.

¹³ Good diagrams of the standard English-system instrument, reproduced from Figs. 1 and 2 of British Patent 10041 of 1844, may be found in Allan W. Atlas, *The Wheatstone English Concertina in Victorian England* (Oxford: Clarendon Press, 1996), 17.

¹⁴ An overview with diagrams of all the patented fingering systems for duet concertinas appears in Brian Hayden, "Fingering Systems for Duet Concertina," *Concertina Magazine* (Australia) 16 (1986): 19-23; 17 (1986): 7-9; 18 (1986): 11-15; 19 (1987): 6-10.

The 1861 patent, however, introduced a further development of this system, compressing the number of columns to seven. The compression was made possible by a change from mean-tone tuning to equal-tempered tuning (a change which took place on most Wheatstone concertinas beginning in the early 1860s). Now it was enough to provide a single note for $D\#/E\flat$ and for $G\#/A\flat$, twelve notes per octave, by identifying enharmonic equivalents in the equal-tempered scale.¹⁵ That permitted the elision of the two central columns of accidentals into a single column, yielding a seven-column duet system with natural notes in columns 2 and 3 and 5 and 6, accidentals in columns 1, 4, and 7.

Figure 4 (redrawn from Fig. 29 of British Patent 2289 of 1861) shows the right side of a duet arrangement of this kind. Comparing this with the right side of Wheatstone #35074 (Figure 3) shows that the 1938 instrument is indeed a realization of the 1861 duet system. We do not know of any other instrument made with this fingering system.




Fig. 4. Wheatstone 1861 duet keyboard diagram, right side only (redrawn from Fig. 29 of British Patent 2289 of 1861).

The arrangement of notes on this duet system directly inherits the principal advantage of the related English fingering system: just as the alternation of notes between right and left ends spreads the work to both hands on an English concertina, so the alternation of notes between columns 2-3 and columns 5-6 spreads the work to all the fingers in the related duet arrangement. For instance, on the right side the ascending natural scale falls under fingers 1, 3, 2, 4, 1, 3, 2, 4, and so on. This same sequence had been true for the earliest Wheatstone duet prototypes of the 1840s, and was also true of the central range on MacCann-system duets introduced in 1884.

¹⁵ Evidence for the change in tuning is discussed at length in Atlas, *Wheatstone English Concertina*, 39-47.

Motivation for #35074

We have established who built the twelve-sided concertina, when and where it was built, and what the source was for its keyboard arrangement, but all this fails to explain why Wheatstone & Co. would have built an example of the 1861 duet system in 1938, more than seventy-five years later, much less why it was built in the Edeophone twelve-sided shape.

Steve Dickinson has proposed to us¹⁶ that #35074 may have been built to fill a special order from a customer seeking to match or replace an instrument made earlier (perhaps years earlier) by Lachenal. We agree that is the most likely motivation, because there seems to be no strong reason other than a specific custom order for Wheatstone to make any instrument in the Edeophone shape, whether experimental or otherwise. This explanation would further imply that there could have been a similar seven-column duet instrument built earlier by Lachenal, which might yet come to light. Of course it is impossible to rule out the possibility that #35074 was made as an internal development prototype based on the 1861 patent, with its twelve-sided shape serving as some other sort of practical experiment or for identification (or just because #35075 was being made as a customer's special order with twelve sides at the same time).

If the former supposition is true, however, we would love to have observed a concertinist, a former Lachenal customer, coming into Wheatstone & Co. in 1938 and placing an order for a duet to be based on the Wheatstone patent of 1861, claiming warmly that the original Wheatstone design was far superior to the later MacCann system. Such an order would hardly have failed to excite some interest.

Possible Influences After 1938

The experience of building (and playing or perhaps seeing a customer play) concertina #35074 may have had some influence on the subsequent evolution of Wheatstone duets.

At the end of 1950, when Wheatstone was just emerging from its hibernation of 1939-1949, an article written by Kenneth V. Chidley appeared in "The Concertina," a section in the *World Accordion Review*. Chidley was at that time the Technical Advisor to the publication and a director of Wheatstone & Co. In the article, he described a new fingering system for Wheatstone duets (the "Chidley system").¹⁷

¹⁶ Steve Dickinson, private communication, June 2000.

¹⁷ Kenneth V. Chidley, "The 'Duet' System, discussed by K. V. Chidley," *World Accordion Review* 6,3 (December 1950): 31-32. The manuscript of this article, minus a few words, was reprinted with notes by Neil Wayne as K. V. Chidley, "The Duet Concertina--Its History and the Evolution of its Keyboard," *Free Reed: The Concertina Newsletter* 17 (Jan/Feb 1974): 15-17.

Like the MacCann system, his design had six columns, but with each column containing a strict alternation of exactly two notes of the twelve-note scale (for example, column 3 on the right side contained the notes *a*, *e'*, *a'*, *e''*, *a''*, *e'''*, *a'''*). To a MacCann player this resembles the MacCann arrangement with all the “irregularities” removed, and so Chidley-system instruments are now often referred to as “Chidley-Variant MacCanns” (and they did replace the MacCann-system instruments in the Wheatstone catalog). But Chidley’s discussion in this article suggests that his thought process was not to modify the MacCann design, but to go back to earlier Wheatstone designs and to extend them in a better way than MacCann had done. Chidley particularly singles out for mention William Wheatstone’s otherwise-obscure seven-column design discussed above from the patent of 1861 (and from our instrument #35074, though unmentioned), and he adopts a feature seen in #35074, the deeper overlap of one and a half octaves between the two sides.

This new fingering system in fact began to be manufactured by Wheatstone just a few months later. In the Wheatstone production ledgers, instruments with the Chidley-system fingering are identified as “uniform keyboard” or “uniform fingering.” The first such instrument was #35736, of 3 April 1951.

So it is possible that Kenneth Chidley’s interest in a duet system based on early Wheatstone designs had been strengthened or even provoked by the making of #35074 in 1938. This would be consistent with the introduction of the Chidley-system instruments in 1951, the earliest opportunity for new commercial production after the disruptions caused by the war in the intervening dozen years.¹⁸

¹⁸ There are a couple of hints in the ledgers that the roots of the new “uniform keyboard” duets go back to the pre-war period of our seven-column #35074. The earliest is the entry for instrument #34000, dated 18 February 1936, two and a half years before #35074. This is a sixty-seven-key duet (model 39) in capped metals (Duralumin alloy, apparently!), with the notation “New fingering” and then added at the end after a curly brace: “Mr.K.” It is tempting to identify this “Mr. K.” as being Kenneth Chidley, and to think that the instrument was an experiment of some sort, in view of Kenneth Chidley’s demonstrated later concern with a new duet fingering system.

The other interesting entry is that for #35078. This instrument dates from 3 August 1938, almost exactly the same time as our #35074 (only four serial numbers away). Its entry contains an unusual cross-reference: “See 35881” (this entry is visible in Figure 2 above). The entry for concertina #35881 is only the third to have the notation “uniform,” and it contains the corresponding cross-reference: “see 35078.” Similar cross-references are found in the ledgers when an older instrument is reworked into a new instrument, but it seems impossible that an ebony-ended fifty-five-key Crane-system (five-column) instrument of 1938 could be reworked into a metal-ended seventy-two-key Chidley-system (six-column) instrument in 1952. Even though unclear, the cross-references suggest some connection between the post-war Chidley-system “uniform” duets and work being done in August 1938, at the time when #35074 was made.

Authors

Neil Wayne (<neil.wayne@free-reed.co.uk>) pioneered the collecting and study of concertina history from the 1960s, building a vast collection of concertinas and related documents to create his own Concertina Museum, which was acquired in 1996 by the Horniman Museum, London. He founded Free Reed magazine and Free Reed Records, and has published widely on many free reed topics.

Margaret Birley (<mbirley@horniman.ac.uk>) is Keeper of Musical Instruments at the Horniman Museum, London, and has published on the history of the musical instrument collections. She has undertaken fieldwork on behalf of the museum in the Commonwealth of Independent States. She is the past General Secretary of CIMCIM, the International Committee for Musical Instrument Museums and Collections of ICOM, the International Council of Museums.

Robert Gaskins (<robertgaskins@gaskins.org.uk>) has studied and taught the use of computers for research in the humanities and linguistics, and is co-author of a textbook on computer programming for students of languages, literature, art, and music. He has also managed the computer science research section of an international telecommunications R&D laboratory, invented a graphics application program and led a startup enterprise to develop it, and headed the Silicon Valley business unit of a personal computer software company. He divides his time between San Francisco and London, where he is learning to play the MacCann duet concertina.